


# triangle warning kits



## Strato-Flare Warning Triangle

The Cortina Triangle Reflector Warning Kits meet or exceed all DOT FMVSS125 requirements, thus insuring that your fleet and the motoring public have the finest product available. The triangle's wire form support guarantees tilt compliance of 40 mph wind test. Opaque container protects fluorescent color from UV deterioration. The unique Living Hinge Box, wire support, and tabs are available ONLY by Cortina. The Living Hinge box insures that the lid won't separate from the box. A heavier weighted base insures that triangles won't move by wind gusts caused by passing traffic. Furthermore, it guarantees compliance to Federal Specifications. Air flow Louvers allow for lower wind resistance.



See page 56 for LED option

# triangle warning kits

## Triangle Reflector Warning Kits

Cortina Triangle Reflector Warning Kits meet and exceed all DOT standards and requirements of FMVSS 125. The unique One-Piece Living Hinge Box allows for thousands of openings and closings and eliminates all hinge problems that the industry has faced for years.

**Triangle Dimensions:** Triangle erect: 17-1/4" wide x 16-1/2" high  
 Base: 17-1/8" long  
 Standard Case: 18-1/4" long x 5-1/8" wide x 4-1/2" high  
 Living Hinge Case: 18"-1/2 long x 5-1/8" wide x 4-1/4" high

Product Number	Description	Unit Weight	Packaging
95-02-001	Single Triangle Flare	4.65 lbs.	136
95-02-002-01	One Triangle in Plastic Box	5.65 lbs.	10/case
95-02-002-02	Two Triangles in Plastic Box	10.60 lbs.	1
95-02-002-03	Triangle Kit-3 triangles in plastic box with handle	14.50 lbs.	4 kits/carton
95-02-002-08	Triangle Kit-1 triangle in Kraft Retail Box	5.55 lbs.	1 kit/carton
95-03-002	Triangle Kit-3 triangles in plastic box	15.30 lbs.	1 kit/carton
95-03-002-FM	Triangle Kit-3 triangles in plastic box (Spanish Instructions)	15.30 lbs.	
95-03-003	Triangle Kit-3 triangles in plastic box w/foam inserts	15.40 lbs.	4 kits/carton
95-03-005	Triangle Kit-3 triangles in plastic box	61.20 lbs.	
95-03-006	Triangle Kit-School Bus with 6 20 minute fuses	17.70 lbs.	1 kit/carton
95-03-007	Triangle Kit-School Bus with 6 30 minute fuses	17.70 lbs.	1 kit/carton
95-03-009	Triangle Kit with Living Hinge Box	15.30 lbs.	1 kit/carton
95-03-010		61.30 lbs.	4 kits/carton
95-03-011	Triangle Kit with Living Hinge Long Box w/foam inserts	15.30 lbs.	1 kit/carton

## Replacement Parts

Product Number	Description	Unit Weight
13-01-005	Plastic Case for three triangles	0.85 lbs.
13-01-005-01	School Bus (Toledo) Triangle Box	0.45 lbs.
13-01-005-02	Living Hinge Box	0.85 lbs.
13-01-005-05	Plastic Case with Handle for three triangles	0.95 lbs.
13-01-009	Plastic Case for one triangle	0.35 lbs.
13-01-013	Plastic Case for two triangles	0.40 lbs.

## Triangle Kit Brackets

*(Does not fit on Living Hinge Box)*

Made of galvanized steel with metal or velcro straps. Cam action fastener provides quick and easy access and storage. Can be mounted in vertical or horizontal positions. Two holes for 10" screws on 14" centers.

Product Number	Description	Unit Weight	Packaging
96-01-001	Bracket for Triangle Kit	1.55 lbs.	75
96-01-001-01	Bracket for Triangle Kit		1 box
96-1025-9001	Bracket for Triangle Kit with Velcro	1.58 lbs.	

**NEW** 95-03-010



95-02-002-03



95-02-002-02




95-02-002-01

95-03-007



96-1025-9001



96-01-001

# fleet safety kits

## Fleet Safety Kits

Cortina metal case, fleet kits offer a single kit to meet CFR49 Requirements, eliminates clutter in the vehicle, and offers additional storage space. High-quality, powder-coated box ensures years of use. Replacement parts are available on page 5 for triangles, page 7 for fire extinguishers, page 10 for fuses, and page 55 for lightsticks.





# fleet safety kits

## Fleet Safety Kits

Fleet Safety Kit may contain the following items. Three triangle reflector warning flares, one fire extinguisher: 2-3/4 lb. 10BC or 5lb. 10BC. Three 20 minute fusees with wire stand or three 30 minute lightsticks. One hold-down strap and brackets included inside one heavy-duty, steel, carrying case.

Product Number	Description	Unit Weight	Packaging
95-04-001	Fleet Safety Kit w/ three fusees	30.50 lbs.	1 kit/carton
95-04-001-02	Fleet Safety Kit w/ three 30 min. lightsticks instead of fusees	30.00 lbs.	1 kit/carton
95-04-002	Fleet Safety Kit without fire extinguisher	27.75 lbs.	1 kit/carton
95-04-003	Fleet Safety Kit with 5lb. 10BC fire extinguisher	33.25 lbs.	1 kit/carton
95-04-004	Fleet Safety Kit with 2-3/4 lb. 10 BC fire extinguisher with plastic valve	30.50 lbs.	1 kit/carton



95-04-003



95-04-001



95-04-001-02

## Replacement Parts

Product Number	Description	Unit Weight	Packaging
03-229-3400	Fire Extinguisher, 2-3/4 lb. 10 BC, Metal Valve	2-3/4 lbs.	1 kit/carton
03-229-3401	Fire Extinguisher, 2-3/4 lb. 10 BC, Plastic Valve	2-3/4 lbs.	1 kit/carton
03-229-3345	Mounting Bracket for 2-3/4lb. Fire Extinguisher	2-3/4 lbs.	1 kit/carton
03-229-3420	Heavy-Duty Metal carrying case	2 lbs.	1 kit/carton
03-229-3425	Fire Extinguisher, 5 lb. 10 BC, Plastic Valve	5 lbs.	1 kit/carton
03-229-3426	Mounting Bracket for 5lb. Fire Extinguisher	5 lbs.	1 kit/carton
95-02-001	Single Triangle Reflector Flare	12 lbs.	1 kit/carton

03-229-3400




03-229-3425

# plastic/canvas safety kits

## Fleet Safety Kits

Cortina durable plastic case, fleet kits offer a single kit to meet CFR49 Requirements, eliminates clutter in the vehicle, and offers additional storage space. Heavy-duty molded boxes ensures years of use. Replacement parts are available on page 5 for triangles, page 7 for fire extinguishers, page 10 for fusees, and page 55 for lightsticks.

## Fleet Safety Kit



## Heavy-Duty Canvas Bag Kit



\*Product style may vary from photograph

# plastic/canvas safety kits

## Fleet Safety Kit

This best-value custom safety kit contains the following: Three triangle warning flares, One 2-3/4lb. 10BC Fire extinguisher, Three 20-minute fuses with wire stand, and One heavy-duty plastic carrying case with handle.

Product Number	Description	Unit Weight
95-04-06	Fleet Safety Kit, Plastic Box	24.50 lbs.
95-04-06-01	Fleet Safety Kit, without fire extinguisher	21.75 lbs.
95-04-07	Fleet Safety Kit with Three triangles only	14 lbs.
95-04-09	Fleet Safety Kit with lightsticks	14.50 lbs.
03-229-3402	2-3/4 lb. Fire Extinguisher, Plastic handle, First Alert	2.34 lbs.
03-229-3422	Plastic Case for Safety Kit	4 lbs.



95-04-06

## Drivers Choice Safety Kit

This unique custom safety kit offers the following: Three triangle warning flares, One 2-3/4lb. fire extinguisher, Three 20-minute fuses with wire stand, One rain poncho, One lantern, Two screwdrivers-flathead & phillips, One safety vest, and One heavy duty plastic carrying case with handle



Product Number	Description	Unit Weight
95-06-01	Driver's Choice Safety Kit	24.60 lbs.



95-06-01

## Heavy Duty Canvas Bag Kit

This canvas bag kit contains these commonly need items: One reflective triangle, One Distress Alert Triangle, One First Aid Kit, Three lightsticks, One safety vest, One set of booster cables, One flashlite w/batteries

Product Number	Description	Unit Weight
95-06-02	Heavy Duty Canvas Bag Kit	14 lbs.
95-06-03	Drivers Safety Kit	10 lbs.



95-06-02

## Drivers Safety Kit

This kit, which fits conveniently under most seats contains: Two 30-minute OmniGlow Sticks, One warning triangle, One reflective safety vest, One bright orange bag to hold contents with custom silk screening available.



95-06-03

# fusee kits & holders

95-07-002



## Fusee Kits

Heavy duty injection-molded plastic boxes hold four or twelve 20 minute, moisture resistant flares with wire stand. With an exclusive design, Plastcaps are user friendly.

Product Number	Description	Unit Weight
95-07-001	Safety Fusee Kit with four 20 min. fusees with wire stand	3 lbs.
95-07-002	Safety Fusee Kit with twelve 20 min. fusees with wire stand and reflective safety vest	3.15 lbs.
13-01-009L	Single Fusee Box with Label	0.50 lbs.
13-01-013L	12 Pack Fusee Box with Label	1 lbs.

95-07-001

95-07-20



95-07-22

## Fusees

Safety fusees available in 10, 20, and 30 minute types. Moisture resistant flares are available with either a spike or a wire stand.

Product Number	Description	Unit Weight
95-07-10	10 minute fusee without spike. Standard pack:144	47 lbs.
95-07-20	20 minute fusee spike type. Standard pack:72	38 lbs.
95-07-21	20 minute fusee without wpike. Standard pack:72	36 lbs.
95-07-22	20 minute fusee with wire stand. Standard pack:72	40 lbs.
95-07-30	30 minute fusee spike type. Standard pack:36	26 lbs.
95-07-31	30 minute fusee without wpike. Standard pack:36	26 lbs.
95-07-32	30 minute fusee with wire stand. Standard pack:36	27 lbs.

95-07-003



95-07-004



## Fusee Holders

Heavy duty Emergency Flare Holders are designed to hold 20, or 30 minute flares. Holders are constructed from Heavy duty Polypropylene, with a handle and no-roll design.

Product Number	Description	Unit Weight
95-07-003	Holder for twelve 20 minute fusees (case only)	12 oz.
95-07-004	Holder for twelve 30 minute fusees (case only)	1 lb.



# distress alert triangle



## Distress Alert Triangle


Using the same technology found in truck triangles, the patented Distress Alert provides a quick, efficient, and inexpensive tool to inform other motorists of your presence on the roadway. Our unique, patented window hook allows the triangle to mount to any car window in the universally recognized upright position. **No tools required!** Simply unfold and hang on your window!




Product Number	Description	Unit Weight	Packaging
95-2000-B	Distress Alert Triangle-Bulk	10 lbs.	Bulk
95-2000	Distress Alert Triangle-Display Box	6 lbs.	Retail Display
95-2000-1	Distress Alert Triangle-Behind the counter sales	8 lbs.	Knockdown Retail



95-2000-1



1 Unfold Arms



2 Snap to form triangle



95-2000



3 Hang hook on edge of window, roll up window



4 Works also on slanted and curved windows



# plastx barricades



## The Plastx Family of Barricades

Offering many industry only features such as: a recessed light bracket to protect light from impact, Recessed and replaceable sheeted panels, providing flexibility and savings. Recessed weight cartridge (03-219-1036F) option snaps into all four legs. Designed for easy nesting and stacking. Plastx barricades are 100% Recyclable. All barricades are NCHRP-350 certified and meet MUTCD specifications.



Recessed light bracket provides added security and is easy to mount. (Light not included with barricade see page 22)

Replaceable panels available in Engineering or HI-Intensity sheeting. Facilitate recycling



Recessed panel area provides sheeting protection from scratching.

In-mold or stenciling identification available

Superior high-strength resin withstands temperature extremes and has a UV Protection package for year-round use.

Weight cartridge

03-219-1036F

# plastx barricades

## Plastx Type I

Product Number	Description	Unit Weight	Skid Qty.
97-01-001	Type I, 12" Top Panel 4" Bottom EGR Sheeting	18 lbs.	32
97-01-001-01	Type I, 12" Top Panel 4" Bottom HI Intensity Sheeting	18 lbs.	32
97-01-001-11	Type I, Prismatic Fluorescent Orange with Dir. Arrow	18 lbs.	32
13-01-010	Type I, Plain: Unsheeted	18 lbs.	32
03-219-1036F	Weight Cartridge	4 lbs.	32



97-01-001

## Plastx Type II

Product Number	Description	Unit Weight	Skid Qty.
97-01-002	Type II, 8" Top Panel 8" Bottom Panel, EGR Sheeting	18 lbs.	32
97-01-002-01	Type II, 8" Top Panel 8" Bottom Panel, HI Intensity Sheeting	18 lbs.	32
97-01-002-02	Type II, 8" Top Panel 4" Bottom Panel, HI Intensity Sheeting	18 lbs.	32
97-01-002-03	Type II, 8" Top Panel 4" Bottom Panel, EGR Sheeting	18 lbs.	32
97-01-002-05	Type I, 8" Top Panel 8" Bottom Panel, EGR Sheeting (Top Only)	18 lbs.	32
13-01-010-01	Type II, Plain: Unsheeted	18 lbs.	32



97-01-002

## Plastx Barrel Eliminator Type II

Product Number	Description	Unit Weight	Skid Qty.
97-01-003-01	Barrel Eliminator, 12" Top Panel 8" Bottom Panel EGR Sheeting	19 lbs.	32
97-01-003-02	Barrel Eliminator, 12" Top Panel 8" Bottom Panel HI Intensity Sheeting	19 lbs.	32
97-01-003-11	Barrel Eliminator, Prismatic Fluorescent Orange w/ Dir. Arrow. SEG Bottom	19 lbs.	32
97-01-003-46	Barrel Eliminator, 12" Top Panel 8" Bottom Panel SEG Sheeting	19 lbs.	32
13-01-010-03	Barrel Eliminator, Plain: Unsheeted	19 lbs.	32



97-01-003-11

## Plastx Econo 84F

Product Number	Description	Unit Weight	Skid Qty.
97-01-001-05	Type 84F 8" Top Panel 4" Bottom Panel, EGR Sheeting	17 lbs.	32
97-01-001-06	Type 84F 8" Top Panel 4" Bottom Panel, HI Intensity Sheeting	17 lbs.	32
13-01-010-02	Type 84F, Plain: Unsheeted	17 lbs.	32



97-01-001-05

# m-cade modular barricade system



**The Most versatile barricade system on the market today.**



Universal plastic leg available in 44" & 60" height. No cutting, drilling, or painting! Unique leg "knuckle & lock" (patent pending) eliminate the worry of over spreading. Folds flat to a closed thickness of 3". Molded holes in legs and panels eliminate the guess work and provide for quick and easy assembly. Panels available in three sizes; 12"x24", 8"x24", & 4"x24". Injection plastic molded components are stronger than hollow legs & panels. Modular design allows for quick & simple replacement of damaged components. Optional sand bar accomodates a 35lb. sand bag in front and back. Universal mix & match parts allow for simple unit reconfiguration. Ability to purchase system components or assembled products. Stenciling available on all barricades, contact Cortina.





# m-cade modular barricade system

## Type I - M-Cade

Product Number	Description	Unit Weight	Skid Qty
97-11-001-11	Type I, 12" Top Panel 8" Bottom Panel, Prismatic Fluor. Orange with Direct. Arrow	13 lbs.	50
97-11-001-44	Type I, 12" Top Panel 8" Bottom Panel, EGR Sheeting	13 lbs.	50
97-11-001-45	Type I, 12" Top Panel 8" Bottom Panel, HI Intensity Sheeting	13 lbs.	50
97-11-001-46	Type I, 12" Top Panel 8" Bottom Panel, SEG Sheeting	13 lbs.	50

97-11-001-11



## Type II - M-Cade

Product Number	Description	Unit Weight	Skid Qty
97-11-002-11	Type II, 8" Top Panel 8" Bottom Panel, Prismatic Fluorescent Orange w/Direct. Arrow	13 lbs.	50
97-11-002-44	Type II, 8" Top Panel 8" Bottom Panel, EGR Sheeting	13 lbs.	50
97-11-002-45	Type II, 8" Top Panel 8" Bottom Panel, HI Intensity Sheeting	13 lbs.	50
97-11-002-46	Type II, 8" Top Panel 8" Bottom Panel, SEG	13 lbs.	50

97-11-002-44



## Type II Eliminator - M-Cade

Product Number	Description	Unit Weight	Skid Qty
97-11-003	Type II, 12" Top Panel 8" Bottom Panel, Plain	13 lbs.	50
97-11-003-11	Type II, 12" Top Panel 8" Bottom Panel, Pris. Fluor. Orange with Direct. Arrow. SEG Bottom	13 lbs.	50
97-11-003-44	Type II, 12" Top Panel 8" Bottom Panel, EGR Sheeting	13 lbs.	50
97-11-003-45	Type II, 12" Top Panel 8" Bottom Panel, HI Intensity Sheeting	13 lbs.	50
97-11-003-46	Type II, 12" Top Panel 8" Bottom Panel, SEG Sheeting	13 lbs.	50

97-11-003-11



## Excavator - M-Cade

Product Number	Description	Unit Weight	Skid Qty.
97-11-001-60	Type I Excavator 60", 12" Top Panel, 8" Bottom Panel EGR Sheeting	15 lbs.	50
97-11-001-61	Type I Excavator 60", 12" Top Panel, 8" Bottom Panel HI Intensity Sheeting	15 lbs.	50
97-11-001-62	Type I Excavator 60", 12" Top Panel, 8" Bottom Panel Plain: Unsheeted	15 lbs.	50
97-11-002-60	Type II Excavator 60", 8" Top Panel, 8" Bottom Panel EGR Sheeting	15 lbs.	50
97-11-002-61	Type II Excavator 60", 8" Top Panel, 8" Bottom Panel HI Intensity Sheeting	15 lbs.	50
97-11-002-62	Type II Excavator 60", 8" Top Panel, 8" Bottom Panel Plain: Unsheeted	15 lbs.	50

97-11-001-60



## Replacement Parts

Product Number	Description	Unit Weight	Packaging
97-1100	Modular Barricade Leg 44"	1 lbs.	50
97-1400	Modular Sand Bar, 3" x 24"	0.50 lbs.	50
97-1500	Modular Panel, 8" x 24", No Sheeting	2 lbs.	50
97-1600	Modular Panel, 12" x 24", No Sheeting	1 lbs.	50

# steelcade



## SteelCade

Cost effective metal/plastic barricade is built using 12 gauge painted, steel legs, and M-Cade plastic panels. Provides a superior cost effective option that eliminates wood boards that rot, warp and peel.



## SteelCade Type I

Product Number	Description	Unit Weight	Skid Qty
97-03-001	Type I SteelCade, 12" Top Panel 8" Bottom Panel, EGR Sheeting	17.45 lbs.	50
97-03-001-01	Type I SteelCade, 12" Top Panel 8" Bottom Panel, HI Intensity Sheeting	17.45 lbs.	50
97-03-001-02	Type I SteelCade, 12" Top Panel 8" Bottom Panel, SEG Sheeting	17.45 lbs.	50
97-03-001-11	Type I SteelCade, 12" Top 8" Bottom, Prismatic Fluor. Orange w. Direct. Arrow	17.45 lbs.	50

**NEW**



97-03-001

## SteelCade Type II

Product Number	Description	Unit Weight	Skid Qty.
97-03-002	Type II SteelCade, 8" Top Panel 8" Bottom Panel, EGR Sheeting	17.45 lbs.	50
97-03-002-01	Type II SteelCade, 8" Top Panel 8" Bottom Panel, HI Intensity Sheeting	17.45 lbs.	50



97-03-002

## SteelCade Type II-Barrel Eliminator

Product Number	Description	Unit Weight	Skid Qty.
97-03-003-02	Type II SteelCade Barrel Eliminator, 12" Top 8" Bottom, HI Intensity Sheeting	17.45 lbs.	50
97-03-003-01	Type II SteelCade Barrel Eliminator, 12" Top Panel 8" Bottom Panel, EGR Sheeting	17.45 lbs.	50
97-03-003-01-11	Type II SteelCade Barrel Eliminator, 12" Top 8" Bottom, Prismatic Fluor. Orange w/Direct. Arrow	17.45 lbs.	50



97-03-003-01-11

## Replacement Parts

Product Number	Description	Unit Weight
03-10-013	Metal Legs for Steelcade, 12 gauge painted	8 lbs.



# a-frame barrier system



## A-Frame Barrier system



Whether you need a long term or temporary system to cordon off an area, the Patented PLAS-TX A-Frame Barrier systems offers an easy and convenient solution. The unique A-Frame leg won't rot, rust, crack, or peel. It's unique design will hold I-Beam configured boards, wood planks, or our exclusive Expand-A-Panel. Will hold all mfgs. boards.



## Expand-A-Panels

Our patented expand-a-panel extends from 5' to 9'. Allows for easy storage and multiple applications. Eliminates the need for stock of multiple units.



Product Number	Description	Unit Weight
97-01-005	Expand-A-Panel, plain	13 lbs.
97-01-005-01	Expand-A-Panel, EGR Sheeting, 1 side	13 lbs.
97-01-005-02	Expand-A-Panel, EGR Sheeting, 2 sides	13 lbs.
97-01-005-03	Expand-A-Panel, HI Intensity Sheeting, 1 side	13 lbs.
97-01-005-04	Expand-A-Panel, HI Intensity Sheeting, 2 sides	13 lbs.



97-01-004 (Leg Only)

## A-Frame Legs (I-Beam not included)

Injection molded, structural foam A-Frame legs are the most durable units available on the market. Mounting holes accommodate virtually all boards on the market today. Superior to blow-molded units.



Product Number	Description	Unit Weight
97-01-004	A-Frame, 2 board openings, White	9 lbs.
97-01-004-02	A-Frame, 1 board opening, White	9 lbs.

# type III barricades

## Type III Barricade Systems

Designed to meet Type III requirements of MUTCD specifications for a barricade device.

All plastic construction won't rot, rust, crack, or peel. Uses standard Cortina I-Beams, A-Frames, and M-Cade legs. Provides years of use. Patent pending.




Product Number	Description	Unit Weight
97-1300	Type III Adaptor Kit: (2) 60" uprights, (2) 60" sandbars, hardware and instructions	12 lbs.
97-1300-61-E	Type III, 6' I-Beams, EGR Sheeting, 1 side	21 lbs.
97-1300-61-H	Type III, 6' I-Beams, HI Intensity Sheeting, 1 side	21 lbs.
97-1300-62-E	Type III, 6' I-Beams, EGR Sheeting, 2 side	21 lbs.
97-1300-62-H	Type III, 6' I-Beams, HI Intensity Sheeting, 2 side	21 lbs.
97-1300-81-E	Type III, 8' I-Beams, EGR Sheeting, 1 side	24 lbs.
97-1300-81-H	Type III, 8' I-Beams, HI Intensity Sheeting, 1 side	24 lbs.
97-1300-82-E	Type III, 8' I-Beams, EGR Sheeting, 2 side	24 lbs.
97-1300-82-H	Type III, 8' I-Beams, HI Intensity Sheeting, 2 side	24 lbs.
97-1300-101-E	Type III, 10' I-Beams, EGR Sheeting, 1 side	28 lbs.
97-1300-101-H	Type III, 10' I-Beams, HI Intensity Sheeting, 1 side	28 lbs.
97-1300-102-E	Type III, 10' I-Beams, EGR Sheeting, 2 side	28 lbs.
97-1300-102-H	Type III, 10' I-Beams, HI Intensity Sheeting, 2 side	28 lbs.
97-1300-121-E	Type III, 12' I-Beams, EGR Sheeting, 1 side	30 lbs.
97-1300-121-H	Type III, 12' I-Beams, HI Intensity Sheeting, 1 side	30 lbs.
97-1300-122-E	Type III, 12' I-Beams, EGR Sheeting, 2 side	30 lbs.
97-1300-122-H	Type III, 12' I-Beams, HI Intensity Sheeting, 2 side	30 lbs.
97-1200	Modular Baricade leg 60" or sandbar 60"	6 lbs.

## I-Beams



I-Beams are manufactured using exterior grade PVC providing year round, all weather durability. 7 year package protects from deterioration. "I"-Beam design protects sheeting.



Product Number	Description	Unit Weight
97-01-008	6' I-Beam, Plain	9 lbs.
97-01-008-01	6' I-Beam, EGR Sheeting, 1 side	9 lbs.
97-01-008-02	6' I-Beam, EGR Sheeting, 2 sides	9 lbs.
97-01-008-03	6' I-Beam, HI Intensity Sheeting, 1 side	9 lbs.
97-01-008-04	6' I-Beam, HI Intensity Sheeting, 2 sides	9 lbs.
97-01-008-06	6' I-Beam, Lime Sheeting, 1 side	9 lbs.
97-01-008-07	6' I-Beam, Lime Sheeting, 2 side	9 lbs.
97-01-009	8' I-Beam, Plain	12 lbs.
97-01-009-01	8' I-Beam, EGR Sheeting, 1 side	12 lbs.
97-01-009-02	8' I-Beam, EGR Sheeting, 2 sides	12 lbs.
97-01-009-03	8' I-Beam, HI Intensity Sheeting, 2 sides	12 lbs.
97-01-009-04	8' I-Beam, HI Intensity Sheeting, 1 side	12 lbs.

Product Number	Description	Unit Weight
97-01-009-06	8' I-Beam, Lime Sheeting, 1 side	12 lbs.
97-01-009-07	8' I-Beam, Lime Sheeting, 2 side	12 lbs.
97-01-010	10' I-Beam, Plain	16 lbs.
97-01-010-01	10' I-Beam, EGR Sheeting, 1 side	16 lbs.
97-01-010-02	10' I-Beam, EGR Sheeting, 2 sides	16 lbs.
97-01-010-03	10' I-Beam, HI Intensity Sheeting, 1 side	16 lbs.
97-01-010-04	10' I-Beam, HI Intensity Sheeting, 2 sides	16 lbs.
97-01-012	12' I-Beam, Plain	18 lbs.
97-01-012-01	12' I-Beam, EGR Sheeting, 1 side	18 lbs.
97-01-012-02	12' I-Beam, EGR Sheeting, 2 sides	18 lbs.
97-01-012-03	12' I-Beam, HI Intensity Sheeting, 1 side	18 lbs.
97-01-012-04	12' I-Beam, HI Intensity Sheeting, 2 sides	18 lbs.
97-01-013-02	4' I-Beam, EGR Sheeting, 2 sides	

# n-cade system



## N-Cade System

Designed to meet requirements of MUTCD specifications for barricade devices in narrow applications. Panel size: 24"H x 12"W. Available in two sizes: 36" (9lbs.) & 44" (10lbs.) Recessed weight cartridge area in legs. 100% Recyclable. Lights sold separately. NCHRP-350 certified.

97-01-007



97-01-006

Product Number	Description	Unit Weight
97-01-006	N-Cade 36" EGR Sheeting	9 lbs.
97-01-006-01	N-Cade 36" Plain	9 lbs.
97-01-006-02	N-Cade 36" HI Intensity Sheeting	9 lbs.
97-01-007	N-Cade 44" EGR Sheeting	10 lbs.
97-01-007-01	N-Cade 44" HI Intensity Sheeting	10 lbs.
97-01-007-03	N-Cade 4" Plain	10 lbs.



## Directional I-Beam

Unique vertical panel & recycled rubber base offers high visibility portable delineation. Ideal for parking lots, crosswalks, schools, and industrial plants.

14-002



Product Number	Description	Unit Weight
14-001	Directional I-Beam Barricade, 4' Plain	16 lbs.
14-002	Directional I-Beam Barricade, 4' EGR Sheeting	16 lbs.
14-003	Directional I-Beam Barricade, 4' HI Intensity Sheeting	16 lbs.
14-004	Directional I-Beam Barricade, 4' Fluorescent Orange	16 lbs.
14-005	Directional I-Beam Barricade, 4' Lime Sheeting	16 lbs.
14-006	Directional I-Beam Barricade, Rubber Base	10 lbs.



# barricade sign legends



Sign legends ideal for a wide variety of work zone, institutional, or industrial delineation. Designed for Plastx Type I barricades and 36" or 44" Plastx N-Cades.

Product Number	Description	Unit Weight
97-01-006-05	N-Cade 36", School Crossing, Lime	0.5 lbs.
97-01-006-06	N-Cade 36", Pedestrian Warning, Lime/Green	0.5 lbs.
97-01-007-03CC	N-Cade Sign, "Closed for Cleaning"	0.5 lbs.
97-01-007-03CL	N-Cade Sign, "Caution" Lime	0.5 lbs.
97-01-007-03DN	N-Cade Sign, "Do Not Enter"	0.5 lbs.
97-01-007-03EO	N-Cade Sign, "Elevator Out of Order"	0.5 lbs.
97-01-007-03KL	N-Cade Sign, "Keep Left" Arrow	0.5 lbs.
97-01-007-03KR	N-Cade Sign, "Keep Right" Arrow	0.5 lbs.
97-01-007-03RC	N-Cade Sign, "Road Closed"	0.5 lbs.
97-01-007-03SP	N-Cade Sign, "Stop Police Check Point"	0.5 lbs.
97-01-007-03SW	N-Cade Sign, "Slippery When Wet"	0.5 lbs.
97-01-007-03SX	N-Cade Sign, "School X-ing" Lime	0.5 lbs.
97-01-007-03TA	N-Cade Sign, "Tree Work Ahead"	0.5 lbs.
97-01-007-03TW	N-Cade Sign, "Two-Way Traffic Slow Down"	0.5 lbs.
97-01-007-03YT	N-Cade Sign, "Yield Truck Traffic"	0.5 lbs.



Product Number	Description	Unit Weight
13-01-010AL	Barricade Type I "This Way" Arrow Left	0.5 lbs.
13-01-010AR	Barricade Type I "This Way" Arrow Right	0.5 lbs.
13-01-010C	Barricade Type I "Caution"	0.5 lbs.
13-01-010DH	Barricade Type I "Danger High Voltage"	0.5 lbs.
13-01-010DL	Barricade Type I "Detour" Arrow Left	0.5 lbs.
13-01-010DR	Barricade Type I "Detour" Arrow Right	0.5 lbs.
13-01-010SC	Barricade Type I "Sidewalk Closed"	0.5 lbs.
13-01-010SM	Barricade Type I "Stop Men Working"	0.5 lbs.



# barricade components



Meets all MUTCD & ITE specifications in 12 volt configuration. Reliable chip circuit is weather resistant. 7" polycarbonate lens provides extreme durability. Attaches to all barricades. State of the art optics. Wide variety of case colors are available. UV stabilized polycarbonate. 10 lights, 1 wrench, 10 bolts, and 3 switch pins are included in a pack.

Product Number	Description	Unit Weight	Packaging
03-10-010	Barricade Light, 6V flasher with photo cell	14.50 lbs.	10
03-10-010-01	Barricade Light, 6V LED with photo cell	14.50 lbs.	10
03-10-010-02	Barricade Light, 6V 3 Way switch with photo cell	14.50 lbs.	10
03-10-010-03	Barricade Light, 6V without photo cell	14.50 lbs.	10
03-10-010-04	Barricade Light, 6V LED, Red Lens with photo cell	14.50 lbs.	10
03-10-010-05	Barricade Light, 6V flasher with photo cell, Red Lens	14.50 lbs.	10
03-10-010-06	Barricade Light, 12V, with photo cell	14.50 lbs.	10
03-10-010-BC	Barricade, 6V flash with photo cell, Blue Base	14.50 lbs.	10
03-10-010-GC	Barricade, 6V flash with photo cell, Green Base	14.50 lbs.	10
03-10-010-OC	Barricade, 6V flash with photo cell, Orange Base	14.50 lbs.	10
03-10-010-RC	Barricade, 6V flash with photo cell, Red Base	14.50 lbs.	10
03-10-010-WC	Barricade, 6V flash with photo cell, White Base	14.50 lbs.	10
03-10-001	Barricade Light, Bolt	0.20 lbs.	1
03-10-002	Barricade Light, Wrench	0.16 lbs.	1
03-10-003	Barricade Light, Bolt Protector	0.09 lbs.	1
03-10-004	Barricade Light, Switch Pin	0.01 lbs.	1

# barricade components

## Barricade Components


From legs to panels, fasteners to sheeting, we stock a full compliment of parts to rebuild, repair, or build the entire line of Cortina Barricades.

Product Number	Description	Unit Weight
03-10-007-L	PLASTX Type I replacement panel-EGR Sheeting left slant 12x24	0.30 lbs.
03-10-007-R	PLASTX Type I replacement panel-EGR Sheeting right slant 12x24	0.30 lbs.
03-10-008-L	PLASTX Type I replacement panel-HI Intensity Sheeting left slant 12x24	0.30 lbs.
03-10-008-R	PLASTX Type I replacement panel-HI Intensity Sheeting right slant 12x24	0.30 lbs.
03-10-008-30	EGR Barr. Tape, 8" x 50 yd. Left	5.55 lbs.
03-10-008-31	EGR Barr. Tape, 8" x 50 yd. Right	5.55 lbs.
03-10-008-32	EGR Barr. Tape, 12" x 50 yd. Left	6.55 lbs.
03-10-008-33	EGR Barr. Tape, 12" x 50 yd. Right	6.55 lbs.
03-10-008-34	HI Intensity Barr. Tape, 8" x 50 yd. Left	5.55 lbs.
03-10-008-35	HI Intensity Barr. Tape, 8" x 50 yd. Right	5.55 lbs.
03-10-008-36	HI Intensity Barr. Tape, 12" x 50 yd. Left	6.55 lbs.
03-10-008-37	HI Intensity Barr. Tape, 12" x 50 yd. Right	6.55 lbs.
03-10-008-38	EGR Barr. Tape, 6" x 50 yd. Left	3.55 lbs.
03-10-008-39	EGR Barr. Tape, 6" x 50 yd. Right	3.55 lbs.
03-10-009-L	PLASTX Type II replacement panel-EGR Sheeting left slant 8x24	0.15 lbs.
03-10-009-R	PLASTX Type II replacement panel-EGR Sheeting right slant 8x24	0.15 lbs.
03-10-010-L	PLASTX Type I replacement panel-HI Intensity Sheeting left slant 8x24	0.15 lbs.
03-10-010-R	PLASTX Type I replacement panel-HI Intensity Sheeting right slant 8x24	0.15 lbs.
03-10-014-L	M-Cade Panel, 12" x 24", EGR Sheeting, Left	0.30 lbs.
03-10-014-R	M-Cade Panel, 12" x 24", EGR Sheeting, Right	0.30 lbs.
03-10-015-L	M-Cade Panel, 12" x 24", HI-Intensity Sheeting, Left	0.30 lbs.
03-10-015-R	M-Cade Panel, 12" x 24", HI-Intensity Sheeting, Right	0.30 lbs.
03-10-016-L	M-Cade Panel, 8" x 24", EGR Sheeting, Left	0.15 lbs.
03-10-016-R	M-Cade Panel, 8" x 24", EGR Sheeting, Right	0.15 lbs.
03-10-017-L	M-Cade Panel, 8" x 24", HI-Intensity Sheeting, Left	0.15 lbs.
03-10-017-R	M-Cade Panel, 8" x 24", HI-Intensity Sheeting, Right	0.15 lbs.
13-01-011	Light Bracket	1 lbs.
13-10-006	Plastic Fasteners (6 pack)	0.05 lbs.
13-10-006B	Plastic Fasteners (Bulk)	5 lbs.
13-10-007	Black Panel, Plain, 12" x 24"	0.30 lbs.
13-10-009	Black Panel, Plain, 8" x 24"	0.15 lbs.
13-10-012	Panel, 12" x 24", Fluorescent Orange Prismatic w/Directional Arrow	0.30 lbs.
13-10-013	Panel, 8" x 24", Fluorescent Orange Prismatic w/Directional Arrow	0.15 lbs.



# delineator posts

EZ Grab Delineator Post





# delineator posts



**NEW**

## EZ Grab Delineator Post

The Cortina Delineator Post is made from 100% impact-resistant, Linear low density polyethylene material. Its EZ grab handle provides portability & ease of movement. UV inhibitors resist fading. Each post comes with two 3" high-intensity reflective bands. Bands are recessed inside post for protection. The base is 100% recycled rubber and is extremely durable. Post is NCHRP-350 Certified and stands 45" high. Optional oval reflex reflector or strobe adds extra measure of safety.

Product Number	Description	Unit Weight
03-730	Rubber Delineator base, 10 lbs.	10 lbs.
03-731	Rubber Delineator base, 15 lbs.	15 lbs.
03-734	Delineator Post, Flared, 45" with two 3" HI Intensity collars	1.50 lbs.
03-737	Easy Grab Delineator Post, Flared, 45" with two 3" HI Intensity collars & oval reflector	1.50 lbs.
03-738	Easy Grab Delineator Post, Flared, 45" with 2 strobes	1.50 lbs.
03-739	Easy Grab Delineator Post, Flared, 45" with two 3" HI Intensity collars and 2 strobes	1.50 lbs.
03-740	Easy Grab Delineator Post, Flared, 45" Plain	1.50 lbs.
03-741	Open Top Delineator Post and base, 26", 3.5" diameter Orange with 1" reflective band	1.25 lbs.
03-742	Open Top Delineator Post and base, 32", 3.5" diameter Orange with 1" reflective band	1.25 lbs.
03-743	Base, Glass-Filled polycarbonate, 5" Diameter	n/a
03-744	Easy Grab Delineator Post, Flared, 45" with two 3" HI Intensity collars and 1 strobe	1.50 lbs.

03-737

03-730

03-739

03-741

New glass-filled black polycarbonate in round style. Wand attached to base with stainless steel hose clamp. Unit may be anchored to pavement with anchor bolts, or epoxy.



# traffic cones



## Traffic Cones

One-piece construction all PVC cone. All vinyl construction assures durability and flexibility in all weather conditions. Long lasting, brilliant fluorescent color provides high visibility protection. Ultraviolet stabilized color provides maximum resistance to fading. High density base creates low center of gravity for maximum stability. Engineered to meet MUTCD specifications. Meets NCHRP-350 category requirements. Slim body and wide body designs available. Stenciling available on all cones.



See page 57 for LED option



## Collared Traffic Cones

Collared cones come in 18", 28", and 36" cone sizes. Collar sizes are 6" upper and 4" lower. Stenciling available on all cones.



# traffic cones

Product Number	Description	Unit Weight
03-500-05	Cone 18" Solid Orange	3 lbs.
03-500-07	Cone 28" Solid Orange	7 lbs.
03-500-08	Cone 36" Solid Orange	10 lbs.
03-500-09	Cone 12" Solid Orange	2-1/2 lbs.
03-500-18	Traffic Cone 28", 10lbs. Solid Orange	10 lbs.
03-500-19	Traffic Cone 36", 12lbs. Solid Orange	12 lbs.
03-500-22	Traffic Cone 18", Solid Orange, Wet Floor	3 lbs.
03-500-23	Traffic Cone 28", Solid Orange, Wet Floor	7 lbs.
03-500-27	Traffic Cone 36", 12lbs. Orange (D.O.T.)	12 lbs.
03-500-44	Cone, "Slim Line" 28" Orange 5-1/2lbs.	5-1/2 lbs.
03-500-45	Cone, "Slim Line" 28" Orange 10lbs.	10 lbs.
03-500-99	Traffic Cone Holder	n/a
03-736	Cone Weight, 7 lbs.	7 lbs.

Product Number	Description	Unit Weight
03-500-01	Cone 28" Solid Orange w/ 4" upper collar	7 lbs.
03-500-06	Cone 36" Solid Orange, 6" upper / 4" lower collars	10 lbs.
03-500-10	Cone 28" Solid Orange, 6" upper / 4" lower collars	7 lbs.
03-500-20	Cone 18" Solid Orange, 4" upper collar	3 lbs.
03-500-21	Cone 18" Solid Orange, 6" upper collar	3 lbs.
03-500-24	Cone 28" 10 lbs.Solid Orange, 6" upper / 4" lower collars	10 lbs.
03-500-25	Cone 36" 12 lbs.Solid Orange, 6" upper / 4" lower collars	12 lbs.
03-500-26	Cone 36" 12 lbs.Solid Orange, 6" upper / 4" lower collars (D.O.T.)	12 lbs.
03-500-28	Cone 28" "Slim Line" 5-1/2lbs. 6" upper / 4" lower collars	5-1/2 lbs.
03-500-46	Cone 28" "Slim Line" 10lbs. 6" upper / 4" lower collars	10 lbs.

Product Number	Description
03-502	Reflective Cone Collar 6" upper for 28" standard cone
03-503	Reflective Cone Collar 4" lower for 28" standard cone
03-504	Reflective Cone Collar 3" for 18" cone
03-505	Reflective Cone Collar 6" upper for 28" Slimline cone
03-506	Reflective Cone Collar 4" lower for 28" Slimline cone
03-507	Cone Stick Glue, 1 quart
03-508	Reflective Cone Collar 4" lower for 36" cone
03-509	Reflective Cone Collar 4" upper for 28" cone
03-510	Reflective Cone Collar 6" upper for 36" cone
03-511	Reflective Cone Collar 4" upper for 28"cone polyester
03-512	Reflective Cone Collar 6" upper for 18" cone
03-513	Reflective Cone Collar 4" upper Superbright

# sport/colored cones



## Sport Cones

Made from lightweight, durable injection molded polyethylene. 18" height with a 12"x12" base. Ideal for amusement parks, schools, sporting events, parking lots, and temporary traffic control. Special colors and stenciling available (minimums required)



## Colored PVC Cones

One piece construction all PVC cones. UV & color stabilizers resist fading & provide uniform color. Ideal for emergency response, police, fire, animal training, and special functions. Stenciling and cone collars available





# sport/colored cones

## Sport Cones

Product Number	Description	Unit Weight
03-500-34	Sport Cone 5" Orange	0.25 lbs.
03-500-35	Sport Cone 18" Orange	1.80 lbs.
03-500-36	Sport Cone 18" Red	1.80 lbs.
03-500-37	Sport Cone 18" White	1.80 lbs.
03-500-38	Sport Cone 18" Yellow	1.80 lbs.
03-500-39	Sport Cone 18" Blue	1.80 lbs.
03-500-40	Sport Cone 18" Green	1.80 lbs.
03-500-41	Sport Cone 18" Fluorescent Lime	1.80 lbs.
03-500-42	Sport Cone 18" Fluorescent Orange	1.80 lbs.

## Color PVC Cones

Product Number	Description	Unit Weight
03-500-60	Cone 18" PVC Blue	3.80 lbs.
03-500-61	Cone 18" PVC Fluorescent Green	3.80 lbs.
03-500-62	Cone 18" PVC White	3.80 lbs.
03-500-63	Cone 18" PVC Yellow	3.80 lbs.
03-500-64	Cone 28" PVC Blue	7 lbs.
03-500-65	Cone 28" PVC Fluorescent Green	7 lbs.
03-500-66	Cone 28" PVC White	7 lbs.
03-500-67	Cone 28" PVC Yellow	7 lbs.
03-500-68	Cone 28" PVC Fluorescent Green, 6" upper / 4" lower collars	7 lbs.

# ANSI class vests



## ANSI Class 1

Meets ANSI/ISEA 107-1999 requirements for class 1 safety garmet. 360 reflectivity provides full body outline. Available in fluoresecent orange with 1-3/8" lime reflective stripes and fluoresecent lime with 1-3/8" white reflective stripes. Two inside and two outside pockets with front zipper closure.



03-600-009

03-600-019

## Class 1



## ANSI Class 2

Meets ANSI/ISEA 107-1999 requirements for class 2 safety garmet. 360 reflectivity provides full body outline. Available in fluoresecent orange with 1-1/2" lime Reflexite stripes and fluoresecent lime with 1-1/2" white Reflexite stripes. Two inside pockets with front zipper closure.



## Class 2



03-600-011

03-600-007

03-600-029



## ANSI Class 3

Meets ANSI/ISEA 107-1999 requirements for class 3 safety garmet. 360 reflectivity provides full body outline. Available in fluoresecent orange with 2" lime reflective stripes and fluoresecent lime with 2" white reflective stripes. Two inside and two outside pockets with front zipper closure.



## Class 3



03-600-014

03-600-008

03-600-028

# ANSI class vests

Product Number	Description	Packaging
03-600-009M	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. Medium	5
03-600-009L	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. Large	5
03-600-009XL	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. XL	5
03-600-009X2	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. XXL	5
03-600-009X3	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. XXXL	5
03-600-009X4	Vest, ANSI Class 1, Orange, 1-3/8" Lime Refl. XXXXL	5
03-600-019M	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. Medium	5
03-600-019L	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. Large	5
03-600-019XL	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. XL	5
03-600-019X2	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. XXL	5
03-600-019X3	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. XXXL	5
03-600-019X4	Vest, ANSI Class 1, Lime, 1-3/8" White Refl. XXXXL	5

Product Number	Description	Packaging
03-600-007M	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. Medium	1
03-600-007L	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. Large	1
03-600-007XL	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. XL	1
03-600-007X2	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. XXL	1
03-600-007X3	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. XXXL	1
03-600-007X4	Vest, ANSI Class 2, Lime, 1-1/2" White Refl. XXXXL	1
03-600-011M	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. Medium	1
03-600-011L	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. Large	1
03-600-011XL	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. XL	1
03-600-011X2	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. XL	1
03-600-011X3	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. XXXL	1
03-600-011X4	Vest, ANSI Class 2, Orange, 1-1/2" Lime Refl. XXXXL	1
03-600-029XL	Vest, ANSI Class 2, Velcro front, Lime, 1-1/2" White Refl. XL	1
03-600-029X2	Vest, ANSI Class 2, Velcro front, Lime, 1-1/2" White Refl. XXL	1

Product Number	Description	Packaging
03-600-008M	Vest, ANSI Class 3, Lime, 2" White Refl. Medium	1
03-600-008L	Vest, ANSI Class 3, Lime, 2" White Refl. Large	1
03-600-008XL	Vest, ANSI Class 3, Lime, 2" White Refl. XL	1
03-600-008X2	Vest, ANSI Class 3, Lime, 2" White Refl. XXL	1
03-600-008X3	Vest, ANSI Class 3, Lime, 2" White Refl. XXXL	1
03-600-014M	Vest, ANSI Class 3, Fluor. Orange, 2" Lime Refl. Med.	1
03-600-014L	Vest, ANSI Class 3, Fluor. Orange, 2" Lime Refl. Large	1
03-600-014XL	Vest, ANSI Class 3, Fluor. Orange, 2" Lime Refl. XL	1
03-600-014X2	Vest, ANSI Class 3, Fluor. Orange, 2" Lime Refl. XXL	1
03-600-014X3	Vest, ANSI Class 3, Fluor. Orange, 2" Lime Refl. XXXL	1
03-600-028L	Vest, ANSI Class 3, Mesh, Orange 2" Lime Refl. Large	1
03-600-028XL	Vest, ANSI Class 3, Mesh, Orange 2" Lime Refl. XL	1
03-600-028X2	Vest, ANSI Class 3, Mesh, Orange 2" Lime Refl. XXL	1
03-600-028X3	Vest, ANSI Class 3, Mesh, Orange 2" Lime Refl. XXXL	1



# surveyors vests



## Surveyors Vests

Meets requirements for surveyor safety garmet. 360 reflectivity provides full body outline. Available in fluourescent orange with 1-3/8" lime reflective stripes and fluourescent lime with 1-3/8" white reflective stripes. Two inside and two outside pock-ets with front zipper closure. Solid front and mesh back.

**NEW**

Front



03-600-021

Back




Front



03-600-022

Back





# surveyors vests

## Lime Surveyors Vest

Product Number	Description	Packaging
03-600-021M	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. Medium	5
03-600-021L	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. Large	5
03-600-021XL	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. XL	5
03-600-021X2	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. XXL	5
03-600-021X3	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. XXXL	5
03-600-021X4	Vest, Surveyors, solid front/mesh back, Lime, 1-3/8" White Refl. XXXXL	5

## Orange Surveyors Vest

Product Number	Description	Packaging
03-600-022M	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. Medium	5
03-600-022L	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. Large	5
03-600-022XL	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. XL	5
03-600-022X2	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. XXL	5
03-600-022X3	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. XXXL	5
03-600-022X4	Vest, Surveyors, solid front/mesh back, Orange, 1-3/8" Lime Refl. XXXXL	5

# all purpose vests



NEW

## LED Safety Vest

Flashing LED on front and back provides nighttime protection and 1-1/2" lime reflective provides full body profile. Water resistant, battery pouch holds 2 AA batteries (not included). Fully adjustable front Velcro closure.



03-600-012

## Tight Mesh Vest

Lightweight, tightly woven polyester mesh. Conforms to MUTCD standards. Solid appearance increases daytime visibility. 1"x2" hook and loop front closure with 1"x8" elastic side straps.

03-600-018 03-600-016 03-600-017 03-600-001 03-600-023



## All Purpose Vest

100% soft polyester mesh in safety orange or fluorescent lime. Conforms to MUTCD standards. Bound in black cloth binding. 1"x2" hook and loop front closure with 1"x8" elastic side straps.

03-600-015 03-600-010 03-600-004 03-600-005 03-600-020



# all purpose vests

Product Number	Description	Packaging
03-600-001L	Vest, Tight Mesh, Lime, 3/4" White Refl. Large	1
03-600-001XL	Vest, Tight Mesh, Lime, 3/4" White Refl. XL	1
03-600-002L	Vest, 5-Point Tear Away, Large	1
03-600-002XL	Vest, 5-Point Tear Away, XL	1
03-600-002X2	Vest, 5-Point Tear Away, X2	1
03-600-003L	Vest, All Purpose, Woven Mesh, Non-Ref. Large	5
03-600-004L	Vest, All Purpose, mesh, Orange, 3/4" Lime Refl. Large	5
03-600-004XL	Vest, All Purpose, mesh, Orange, 3/4" Lime Refl. XL	5
03-600-004X3	Vest, All Purpose, mesh, Orange, 3/4" Lime Refl. X3	5
03-600-005L	Vest, All Purpose, mesh, Lime, 3/4" White Refl. Large	5
03-600-005XL	Vest, All Purpose, mesh, Lime, 3/4" White Refl. XL	5
03-600-010L	Vest, All Purpose, mesh, Orange, 1-3/8" Lime Refl. Large	5
03-600-010XL	Vest, All Purpose, mesh, Orange, 1-3/8" Lime Refl. XL	5
03-600-010X2	Vest, All Purpose, mesh, Orange, 1-3/8" Lime Refl. XXL	5
03-600-012XL	Vest, LED Reflective, Orange X Large	1
03-600-013XL	Vest, LED Reflective, Lime X Large	1
03-600-015L	Vest, All Purpose, mesh, Orange, 2" Lime/Silver Refl. Large	5
03-600-015XL	Vest, All Purpose, mesh, Orange, 2" Lime/Silver Refl. XL	5
03-600-016L	Vest, Tight Mesh, Orange, 3/4" Lime Refl. Large	1
03-600-017L	Vest, Tight Mesh, Orange, 1-3/8" Lime Refl. Large	1
03-600-018L	Vest, Tight Mesh, Orange, 2" Lime/Silver Refl. Large	1
03-600-020L	Vest, All Purpose, Mesh, Lime, No Refl.	5
03-600-023L	Vest, Tight Mesh, Lime No Refl.	1

# stop/slow/go paddles

03-822P



## Plastic Stop/Slow Paddles

Paddles meet MUTCD requirements. Octagon-shaped paddles are available silk-screened, or reflective with Engineer Grade, HI Intensity, or Diamond Grade Sheeting. Letter size: 8" for 24" Paddle, 6" for 18" Paddle  
Handle sold separately. 81" High-Viz orange plastic handle or 72" wood handle available.

## Aluminum Stop/Slow/Go Paddles

18"x18" and 14"x14" silk-screened aluminum hand held, octagon paddles are ideal for school crossing guards, police, and plant security guards. 080 aluminum with scratch resistant paint finish. Handle is included. Metal or wood handle available and are included.



03-832



03-829



03-833




# stop/slow/go paddles

Product Number	Description	Unit Weight
03-820	Stop/Go Paddle, Aluminum 18", with handle	2.3 lbs.
03-821	Stop/Slow Paddle, Aluminum 18" with handle	2.3 lbs.
03-830	Stop/Slow Paddle, Aluminum 18" , wood handle	1.7 lbs.
03-831	Stop/Stop Paddle, Aluminum 18" , wood handle	1.7 lbs.
Product Number	Description	Unit Weight
03-835	Stop/Slow Paddle, Plastic 18" EGR Sheeting	1.3 lbs.
03-836	Stop/Slow Paddle, Plastic 18" HI Intensity Sheeting	1.3 lbs.
03-837	Stop/Slow Paddle, Plastic 18" Diamond Grade Sheeting	1.3 lbs.
03-838	Stop/Slow Paddle, Plastic 18" Silk Screened	1.35 lbs.
Product Number	Description	Unit Weight
03-828	Stop/Go Paddle, Aluminum 14", Wood Handle	1.6 lbs.
03-829	Stop/Slow Paddle, Aluminum 14", Wood Handle	1.6 lbs.
03-832	Stop/Slow Paddle, Aluminum 14", Aluminum Handle	1.68 lbs.
03-833	Stop/Go Paddle, Aluminum 14", Aluminum Handle	1.68 lbs.
Product Number	Description	Unit Weight
03-822	Stop/Slow Paddle, Plastic 24" EGR Sheeting	3 lbs.
03-822P	Stop/Slow Paddle, Plastic 24" EGR Sheeting, 81" Plastic Handle	6 lbs.
03-822W	Stop/Slow Paddle, Plastic 24" EGR Sheeting, 72" Wood Handle	5 lbs.
03-823	Stop/Slow Paddle, Plastic 24" HI Intensity Sheeting	3 lbs.
03-823P	Stop/Slow Paddle, Plastic 24" HI Intensity Sheeting, 81" Plastic Handle	6 lbs.
03-823W	Stop/Slow Paddle, Plastic 24" HI Intensity Sheeting, 72" Wood Handle	5 lbs.
03-826	Stop/Slow Paddle, Plastic 24" Diamond Grade	5 lbs.
03-826P	Stop/Slow Paddle, Plastic 24" Diamond Grade, 81" Plastic Handle	6 lbs.
03-826W	Stop/Slow Paddle, Plastic 24" Diamond Grade, 72" Wood Handle	5 lbs.
03-827	Stop/Slow Paddle, Plastic 24" Silk-Screened	2.65 lbs.
03-827P	Stop/Slow Paddle, Plastic 24" Silk-Screened, 81" Plastic Handle	5.65 lbs.
03-827W	Stop/Slow Paddle, Plastic 24" Silk-Screened, 72" Wood Handle	6 lbs.
03-839	Stop (HI Intensity Sheeting) / Slow (Diamond Grade) Paddle, 24" Plastic DOT	2.3 lbs.
03-824	Paddle Handle Plastic 81"	2.25 lbs.
03-824-MI	Paddle Handle Plastic 81" MI Spec Red Tape	2.25 lbs.
03-834	Paddle Handle, Wood 72"	2.15 lbs.
13-01-01	Bolt Kit for Paddle	1.5 lbs.

# fencing/caution tape


03-900



## Safety Fencing

Orange polyethylene. Highly visible, UV-stabilized. Rugged, reusable, and highly visible.

03-902



Product Number	Description	Unit Weight	Length
03-900	Plastic Diamond Mesh Fence, Orange 4'x50'	13 lbs.	50'
03-901	Plastic Diamond Mesh Fence, Orange 4'x100'	13 lbs.	50'
03-902	Lightweight Barrier Fence, Orange 4'x100'	26 lbs.	100'
03-903	Metal T-Post, 6' for Plastic Warning Barrier Fence	n/a	6'
03-904	Fence Ties, 7" for Plastic Warning Barrier Fence	n/a	7"

## Barricade Tape

Barricade tape provides excellent visual warning of temporary safety hazards. It is economical, strong, and disposable. Size of roll is 3" x 1000'



Product Number	Description	Unit Weight
03-10-102	Tape, Caution/Caution	2.55 lbs.
03-10-102-B	Tape, Plain: No Legend	2.55 lbs.
03-10-102-01	Tape, Caution/Construction Area	2.55 lbs.
03-10-102-02	Tape, Caution/Restricted Area	2.55 lbs.
03-10-102-03	Tape, Caution/Do No Enter	2.55 lbs.
03-10-102-04	Tape, Danger Do Not Enter (Red)	2.55 lbs.
03-10-102-05	Tape, Danger/Danger (Red)	2.55 lbs.
03-10-102-06	Tape, Caution No Parking	2.55 lbs.
03-10-102-07	Tape, Caution/Cuidado	2.55 lbs.
03-10-102-08	Tape, Police Line Do Not Cross	2.55 lbs.
03-10-102-09	Tape, Hazardous Keep Out	2.55 lbs.
03-10-102-10	Tape Fire Line Do Not Cross	2.55 lbs.
03-10-102-3	Tape, Caution/Caution 3 Mil.	2.55 lbs.
03-10-102-01-3	Tape, Caution/Construction Area 3 Mil.	2.55 lbs.
03-10-102-02-3	Tape, Caution/Restricted Area 3 Mil.	2.55 lbs.
03-10-102-03-3	Tape, Caution/Do No Enter 3 Mil.	2.55 lbs.
03-10-102-04-3	Tape, Danger Do Not Enter (Red) 3 Mil.	2.55 lbs.
03-10-102-05-3	Tape, Danger/Danger (Red) 3 Mil.	2.55 lbs.
03-10-102-06-3	Tape, Caution No Parking 3 Mil.	2.55 lbs.
03-10-102-07-3	Tape, Caution/Cuidado 3 Mil.	2.55 lbs.
03-10-102-08-3	Tape, Police Line Do Not Cross 3 Mil.	2.55 lbs.
03-10-102-09-3	Tape, Hazardous Keep Out 3 Mil.	2.55 lbs.



## Flagging Tape

Available in a variety of colors. Rugged polyethylene plastic tape in 1-1/4" x 300' rolls. Dayglow tape dimensions: 1-3/16" x 150'. Ideal to mark right of way, boundary lines, and trees.

Product Number	Description	Unit Weight
03-10-102-20	Orange	2.55 lbs.
03-10-102-21	White	2.55 lbs.
03-10-102-22	Green	2.55 lbs.
03-10-102-23	Red	2.55 lbs.
03-10-102-24	Blue	2.55 lbs.
03-10-102-25	Yellow	2.55 lbs.
03-10-102-26	Red/White	2.55 lbs.
03-10-102-27	Blue/White	2.55 lbs.
03-10-102-28	Yellow/White	2.55 lbs.
03-10-102-29	Orange/White	2.55 lbs.
03-10-102-30	Black/White	2.55 lbs.
03-10-102-31	Black/Yellow	2.55 lbs.
03-10-102-32	Dayglow Pink	2.55 lbs.
03-10-102-33	Dayglow Lime	2.55 lbs.
03-10-102-34	Dayglow Orange	2.55 lbs.
03-10-102-35	Dayglow Blue	2.55 lbs.
03-10-102-36	Dayglow Green	2.55 lbs.
03-10-102-37	Dayglow Yellow	2.55 lbs.
03-10-102-38	Dayglow Red	2.55 lbs.



## Life Hammer

Life hammer is a multi-functional personal auto-safety tool. This compact hammer features two precision steel points for breaking side windows. A well protected razor-sharp blade enables seat belts to be cut in a single motion, freeing trapped passengers. Comes with a durable plastic holder for mounting on a vehicle's floor or console. The holder features a fluorescent pin for visibility in the dark. Length 7".

Product Number	Description	Unit Weight
03-302	Life Hammer	3.6 oz.



# warning flags

## Warning Flags

Reinforced heavy-duty fluorescent red-orange vinyl or heavy duty mesh/vinyl flags. Available in 18" x 18" or 24" x 24" sizes. 3/4" diameter hardwood dowel available in 24", 30", and 36" lengths. Standard pack of 50 each



03-229-3417



03-229-3406



03-229-3411



03-229-3415



03-229-3423

### Vinyl

Product Number	Description	Unit Weight	Packaging
03-229-3404	Flag, 18", Vinyl with 30" Dowel	25 lbs.	50
03-229-3405	Flag, 18", Vinyl with 36" Dowel	25 lbs.	50
03-229-3408	Flag, 24", Vinyl with 30" Dowel	25 lbs.	50
03-229-3414-1	Flag, 24" Heavy-Duty "Only"	25 lbs.	50
03-229-3416	Flag, 18" Heavy-Duty "Only"	25 lbs.	50
03-229-3417	Flag, 18", Vinyl with 24" Dowel	25 lbs.	50
03-229-3418	Flag, 24", Vinyl with 36" Dowel	25 lbs.	50
03-229-3424	Flag, 18", Vinyl with 24" Dowel Red/Red	25 lbs.	50
03-229-3440	Flag, 24", Vinyl with 36" Dowel Red/Red	25 lbs.	50

### Mesh

Product Number	Description	Unit Weight	Packaging
03-229-3406	Flag, 18", Mesh with 24" Dowel	25 lbs.	50
03-229-3407	Flag, 18", Mesh with 30" Dowel	30 lbs.	50
03-229-3409	Flag, 24", Mesh with 30" Dowel	25 lbs.	50
03-229-3410	Flag, 24", Mesh with 36" Dowel	15 lbs.	50
03-229-3412	Flag, 18" Weave Mesh "only"	10 lbs.	50

### Tailgate

Product Number	Description	Unit Weight	Packaging
03-229-3411	Tailgate Warning Flag D/S 24" x 24"	5 lbs.	50
03-229-3413	Tailgate Warning Flag W/S 18" x 18"	6 lbs.	50
03-229-3414	Tailgate Warning Flag D/S 18" x 18"	8 lbs.	50

### Throw Away

Product Number	Description	Unit Weight	Packaging
03-229-3415	Throw Away Warning Flag 18"x18"	6 lbs.	50

### Airport

Product Number	Description	Unit Weight	Packaging
03-229-3423	Airport Flag 36" x 36", Nylon	35 lbs.	50



# banners/smv signs

## WideLoad/Oversize Load Banner

18" x 18" with 5' rope ties in each corner.  
WideLoad/Oversize Load combination: front & back. Bright yellow reinforced vinyl material with black letters. Letter size=12".




Product Number	Description	Unit Weight
03-11-000	Combo Banner WideLoad/Oversize Load	2 lbs.

## Slow Moving Vehicle Signs

Slow Moving emblem on pre-punched metal or molded plastic backings. Meets ASAE old standard 276.4 or new ASAE S276.5 & ASAE S279.10 standards.

Product Number	Description	Unit Weight
05-099-07	SMV Sign, Metal ASAE 276.4	1 lbs.
05-099-08	SMV Decal ASAE 276.4	1 lbs.
05-099-09	SMV Sign, Plastic ASAE 276.4	0.5 lbs.
05-099-10	SMV Sign, Metal ASAE 276.5	1 lbs.
05-099-11	SMV Decal ASAE 276.5	0.5 lbs.
05-099-12	SMV Sign, Plastic ASAE 276.5	0.5 lbs.
05-099-13	SMV, Spade Mount Bracket	0.25 lbs.



# reflective products



## Driveway Markers

Ideal for home, farm, construction, and municipal areas. Available in four colors and in both 36" and 48" stake lengths. Reflector housing made from unbreakable ABS material. Lens is sonic welded and locks out moisture. Display tab molded in white fiberglass stake.

Product Number	Description	Unit Weight	Packaging
05-099-01-A	36" Driveway Marker, Amber	0.25 lbs.	72
05-099-01-B	36" Driveway Marker, Blue	0.25 lbs.	72
05-099-01-C	36" Driveway Marker, Clear	0.25 lbs.	72
05-099-01-R	36" Driveway Marker, Red	0.25 lbs.	72
05-099-02-A	48" Driveway Marker, Amber	0.30 lbs.	72
05-099-02-B	48" Driveway Marker, Blue	0.30 lbs.	72
05-099-02-C	48" Driveway Marker, Clear	0.30 lbs.	72
05-099-02-R	48" Driveway marker, Red	0.30 lbs.	72



13-099



## Reflector Merchandising Display

Rich, colorful graphics for custom display.

Box contains:

- 3-1/8" diameter, self-adhesive Red 18pcs.
  - 3-1/8" diameter, self-adhesive Amber 12pcs.
  - 4-1/4" x1-3/4" oblong, self-adh. Red 28pcs.
  - 4-1/4" x1-3/4" oblong, self-adh. Amber 28pcs.
  - 3-3/8" diameter center hole mt. Red 12pcs.
  - 3-3/8" diameter center hole mt. Amber 10pcs.
- Total pieces in box: 108

Product Number	Description	Unit Weight
13-099	Reflector display with 108 pieces.	3 lbs.

## Bulk Reflectors

Available in 100 piece packs



Product Number	Description	Unit Weight	Packaging
13-099-12	2-1/8" Diameter, Self-Adhesive, Blue	4.20 lbs.	100
13-099-13	2-1/8" Diameter, Self-Adhesive, Amber	4.20 lbs.	100
13-099-21	2-1/8" Diameter, Self-Adhesive, Red	4.20 lbs.	100
13-099-25	2-1/8" Diameter, Self-Adhesive, Clear	4.20 lbs.	100
13-099-31	3-1/8" Diameter, Self-Adhesive, Red	4.20 lbs.	100
13-099-34	3-1/8" Diameter, Self-Adhesive, Amber	4.20 lbs.	100
13-099-37	3-1/8" Diameter, Self-Adhesive, Blue	4.20 lbs.	100
13-099-40	3-1/8" Diameter, Self-Adhesive, Clear	4.20 lbs.	100
13-099-32	3-3/8" Diameter, Center hole mount, Red	4.20 lbs.	100
13-099-35	3-3/8" Diameter, Center hole mount, Amber	4.20 lbs.	100
13-099-38	3-3/8" Diameter, Center hole mount, Blue	4.20 lbs.	100
13-099-41	3-3/8" Diameter, Center hole mount, Clear	4.20 lbs.	100
13-099-02	4-1/4" x 1-3/4" Oblong, dual self-adhesive or two hole mount, Red	4.20 lbs.	100
13-099-06	4-1/4" x 1-3/4" Oblong, dual self-adhesive or two hole mount, Amber	4.20 lbs.	100
13-099-09	4-1/4" x 1-3/4" Oblong, dual self-adhesive or two hole mount, Blue	4.20 lbs.	100

# conspicuity tape

## Conspicuity Material

Constructed entirely of tough, clear acrylics, with a UV absorbing top film. Superior outdoor durability and protection against weather, dirt and time. Bright red surface protected from fading or degrading from exposure to harsh solvents or washing detergents. Exceed requirements of the NHTSA (49CRF571), and every strip carries the "DOT-CZ" certification for compliance.




Product Number	Description	Unit Weight
03-500-82	7 year conspicuity, 150' roll 7" white / 11" red	2.30 lbs.
03-500-83	7 year conspicuity, "kiss-cut" 150' roll 7" white / 11" red	2.30 lbs.
03-500-84	7 year conspicuity, 7" white / 11" red strips	2.30 lbs.
03-500-85	7 year conspicuity, 6" red / 6" white 150' roll	2.30 lbs.
03-500-86	7 year conspicuity, 6" red / 6" white, pre-cut at 12"	2.30 lbs.
03-500-87	7 year conspicuity, white, 150' roll	2.30 lbs.
03-500-88	7 year conspicuity, white, pre-cut at 12"	2.30 lbs.
03-500-89	7 year conspicuity, 6" red / 6" white, 1-1/2"	2.30 lbs.
03-500-90	7 year conspicuity, 150' roll, Red	2.30 lbs.
03-500-91	7 year conspicuity, 150' roll, Blue	2.30 lbs.
03-500-92	3 year conspicuity, 150' roll 7" white / 11" red	2.30 lbs.



## School Bus Conspicuity

Features superior nighttime reflectivity and long distance visibility with high reflectivity from 1000' or more. Effective through rain, snow or fog. Meets the following ASTM D4956-94, Type III, Type VIII, FMVSS131 and FMVSS17.



Product Number	Description	Unit Weight
03-501-80	7 year conspicuity 1" x 150' Yellow	2.30 lbs.
03-501-81	7 year conspicuity 1-1/2" x 150' Yellow	2.30 lbs.
03-501-82	7 year conspicuity 1-3/4" x 150' Yellow	2.30 lbs.
03-501-83	7 year conspicuity 2" x 150' Yellow	2.30 lbs.
03-501-84	7 year conspicuity 6" x 150' Yellow	2.30 lbs.
03-501-85	7 year conspicuity 9-3/4" x 150' Yellow	2.30 lbs.
03-501-86	7 year conspicuity 12" x 150' Yellow	2.30 lbs.





# mud flaps/wheel chocks



## Mud Flaps

Made from 50% natural rubber and 50% synthetic rubber. The header is molded thicker to resist tearing through normal use. This flap gets the job done and is perfect for the price conscience buyer.

Product Number	Description	Unit Weight	Skid Qty
2424PR	Mud Flap 24" x 24"	12 lbs. Per pair	50
2430PR	Mud Flap 24" x 30"	14 lbs. Per pair	50
2436PR	Mud Flap 24" x 36"	16 lbs. Per pair	50



2048WC

## Wheel Chock

Most popular design rubber wheel chock affords maximum durability and skid protection, even under adverse weather conditions. Zinc-plated eyebolt. Weighs 9 lbs.



2048WCC

Product Number	Description	Unit Weight
2048WC	Heavy-Duty Wheel Chock	9lbs.
2048WCC	Heavy-Duty Wheel Chock w/ 12' Chain	19lbs.
2048C	12' 10lb. Jack Chain	10lbs.



# speed/parking blocks

**NEW**

## Parking Block

Maintenance free. Recycled Rubber will not warp, crack, or rot. Resistant to oil, UV, and moisture. Stands up in wide temperature extremes. Painted yellow stripes are reflective. Easily installed by one person. 36" block requires 2 spikes, 48" block requires 3 spikes, and 72" block requires 4 spikes. Spikes are sold separately.



Product Number	Description	Unit Weight
2049PB	4' Parking Block / Striped Yellow, Rubber	23 lbs.
2050PB	6' Parking Block / Striped Yellow, Rubber	34 lbs.
2057PB	3' Parking Block / Striped Yellow, Rubber	17 lbs.

**NEW**

## Speed Bump

Maintenance free. Extremely durable recycled rubber will not warp, crack, or rot. Withstands wide temperature extremes. Painted with polyurethane yellow reflective paint. Built in catseye reflectors for added visibility. Two 1.25" underside channels allow for cables & provide drainage. 48" speed bump requires 3 spikes. 72" speed bump requires 4 spikes. Good for weights up to 6000lbs.



Product Number	Description	Unit Weight
2054SB	4' Speed Bump with Reflectors	32 lbs.
2055SB	6' Speed Bump with Reflectors	51 lbs.

**NEW**

Product Number	Description	Unit Weight
2054SB	4' Speed Bump, Striped Yellow, Rubber	32 lbs.
2055SB	6' Speed Bump, Striped Yellow, Rubber	51 lbs.




Product Number	Description	Unit Weight
2053S	14" Spike, Painted	1 lbs.

# work lamps

Par 36 (5"), Par 46 (6"), and 5" x 7" Rubber body work and tractor lamps. Available in rubber-like UV resistant thermoplastic resin. Rubber-like lamps have reinforced, riveted construction and all lamp styles have a UV resistant and universal adjustable plated steel mounting bracket. Lamps are moisture resistant.

## Par 36

Product Number	Description	Unit Weight
23-4411-B	Par 36, 5" Rubber Work Lamp, 4411 S.B., 12 Volt	1 lb
23-4415	Par 36, 5" Rubber Fog Lamp, 4415A S.B., 12 Volt	1 lb
23-4509	Par 36, Rubber Spot Lamp, 4509 S.B., 12 Volt	1 lb
23-4511	Par 36, Rubber Spot Lamp, 4511 S.B., 12 Volt	1 lb
23-5535	Par 36, Rubber Work Lamp w/55watt H3 Halogen Bulb	1 lb
23-5570	Par 36, Rubber Work Lamp w/70watt H3 Halogen Bulb	1 lb
23-7606	Par 36 Rubber Halogen Work Lamp, 7606H S.B., 12 Volt	1 lb
23-7610	Par 36 Rubber Halogen Work Lamp, 7610H S.B., 12 Volt	1 lb



23-4509



23-4411-B



23-4421



23-4419-B



## Par 46

Product Number	Description	Unit Weight
23-4419-B	Par 46, 6" Rubber Work Lamp, 4419 S.B., 12 Volt	2 lbs.
23-4421	Par 46, 6" Rubber Fog Lamp, 4421A S.B., 12 Volt	2 lbs.



23-4537



23-7609

## Par 46

Product Number	Description	Unit Weight
23-4536	Par 46, 6" Rubber Spot Lamp, 4536-2 S.B., 6 Volt	2 lbs.
23-4537	Par 46, 6" Rubber Spot Lamp, 4537-2 S.B., 12 Volt	2 lbs.
23-7609	Par 46, 6" Halogen Rubber Flood Lamp, 7609H S.B., 12 Volt	2 lbs.



23-0000-B



23-2000-B



## Housings

Product Number	Description	Unit Weight
23-0000-B	Par 36 Rubber Housing "Only"	0.25 lbs.
23-2000-B	Par 46, 6" Rubber Body "Only"	0.50 lbs.

# work lamps

## 5" x 7"

Product Number	Description	Unit Weight
23-4650-B	5" x 7" Halogen Rubber Lamp, 4650, 12 Volt	4 lbs.
23-4652-B	5" x 7" Rubber Spot Lamp, 4652 12 Volt	4 lbs.



23-4650-B



23-4652-B

## 5" x 7"

Product Number	Description	Unit Weight
23-4651-B	5" x 7" Rubber Work Lamp, 4651 12 Volt	4 lbs.
23-1000-B	5" x 7" Rubber body "Only"	1 lbs.
23-7935-B	5" x 7" Rubber Lamp w/H7935 halogen S.B. Aircraft Landing Bulk	4 lbs.

## 23-4651-B



23-1000-B



## Work Lamp



Double halogen work lamp designed with twin replaceable H3 55 watt halogen output bulbs. This versatile work lamp operates with one flood and one spot pattern. Rugged high-impact ABS housing with universal adjustable steel bracket.

Product Number	Description	Unit Weight
23-4620	Double Halogen Work Lamp	4 lbs.



23-4620

# lighting products



22-462121

Dependable line of Warning Strobe Beacons. Meets SAE J1318 Class 3 and performs at 12-72 VDC. RFI suppression and protected against voltage spikes and reverse polarity. Impact-resistant polycarbonate dome and base. Power supply protected against shock and vibration. Suitable for electric vehicles, forklifts, industrial trucks and mail carriers.

Product Number	Description	Unit Weight
22-462121	Amber Strobe, 2.2 Joule, 12-72V HT 4.4"	0.9 lbs.
22-462141	Amber Strobe, Magnetic mount, 2.2 Joule, 12-72V HT 4.4"	0.9 lbs.
22-462510	Strobe tube for 22-462121	
22-108	Flash tube for 22-462141	
22-219	Amber lens for 22-462121 / 22-462141	


22-462141



22-220200

Product Number	Description	Unit Weight
22-220100	Amber Strobe, 2 Joule 12-72V height 4.0"	0.7 lbs.
22-220200	Amber Strobe, Replaceable F. tube, 2 Joule, 12-72V height 3.6"	0.7 lbs.
22-210873	Amber Strobe, Magnetic mount, 2 Joule, 12-72V height 3.6"	0.7 lbs.
22-220208	Amber Strobe, Replaceable F. tube, 2 Joule, 12-72V mag. Mount	0.7 lbs.
22-100	Flash tube for 22-210873 / 22-220100	
22-109	Flash tube for 22-220200 / 22-220208	
22-200	Amber Lens - 22-210873 / 220100 / 220200 / 220208	

22-220100



Strobe lights that combine versatility with durability. Shock resistant rubber base, Fresnel lens and encapsulated circuitry. 12/48V DC, Double and Quad flash. 5/75" W x 4.5" H

Product Number	Description	Unit Weight
22-500	60 Double FPM, 300 candela, Amber, 1.5 lbs.	1.5 lbs.
22-501	65 Quad FPM, 400 candela, Amber, 1.5 lbs.	1.5 lbs.
22-502	60 Double FPM, 300 candela, Amber, 2.5 lbs. Magnetic mount	1.5 lbs.
22-503	65 Quad FPM, 400 candela, Amber, 2.5 lbs. Magnetic Mount	1.5 lbs.
22-110	Flash tube	
22-221	Amber Lens	

22-500



22-502



22-352



Mini-Strobe Light that combines state of the art circuitry and sonic welded base, multi-voltage and reinforced to protect against shock and vibration. Magnetic mount version comes with 12' straight cord and plug assembly designed with a built in on/off rocker switch and LED indicator.

Product Number	Description	Unit Weight
22-300	12/80V, 75 Single FPM, 125 candelas, Amber, 7 lbs.	1 lbs.
22-350	12/48V, 65 Quad FPM, 500 candelas, Amber 7 lbs.	1 lbs.
22-351	12/48V, 65 Double FPM, 375 candelas, Amber 7 lbs.	1 lbs.
22-352	12/48V, 65 Double FPM, 375 candelas, Amber, Magnetic mount, 1.2 lbs.	1.4 lbs.
22-353	12/48V, 65 Quad FPM, 500 candelas, Amber, Magnetic mount, 1.2 lbs.	1.4 lbs.



# lighting products

Bright 55-watt Halogen Bulb and Rotating Reflector Assembly with flash rates of 95 FOM and 135 FOM. Black Half-dome cover that prevents backflash on unit (22-440112). Magnetic mount with plug adaptor. 12 VDC.

Product Number	Description	Unit Weight
22-004	Amber Light, 5.5" W x 5.25" H	2.75 lbs.
22-440112	Amber Light, 4.8" W x 3.8" H x 5.1" D, 2.0 lbs.	2 lbs.
<b>Replacement Parts</b>		
22-222	Amber Replacement Lens for 22-004	0.5 lbs.
22-216	Amber Replacement Lens for 22-440112	0.5 lbs.



22-440112



22-004

Low profile magnetic mount base, tear-drop rotating halogen lamp features 10' coil cord with power plug adaptor and eye shield. Three magnets on base completely covered with vinyl coating to protect from scratching. 7-3/8" L x 5" W x 5" H

Product Number	Description	Unit Weight
22-56525	12V Tear Drop Lamp Amber	3 lbs.
22-56526	12V Tear Drop Lamp Red	3 lbs.
22-56527	12V Tear Drop Lamp Blue	3 lbs.
<b>Replacement Parts</b>		
22-213	Amber Lens	0.5 lbs.
22-214	Red Lens	0.5 lbs.
22-215	Blue Lens	0.5 lbs.
22-217	Green Lens	0.5 lbs.
22-218	12V Bulb	



22-56525



22-56526



22-56527

# lightbars



22-450112

Effective, powerful 80,000 candela, 55-watt Halogen and Rotators, RFI suppression, designed to resist moisture and vibration. Impact resistant polycarbonate domes. 95 FPM, 12 VDC. Suitable for pick-up trucks, tow, and recovery vehicles, snow plows, and construction vehicles. 5.0 lbs.



22-211906


Product Number	Description	Unit Weight
22-211906	Amber, Magnetic Mount, 15" L x 9" W x 5" H	5 lbs.
22-415010	Amber, 15" L x 9" W x 5" H	5 lbs.
22-450112	Amber, 15" L x 7" W x 5.3" H	5 lbs.
22-450142	Amber, Magnetic Mount, 15" L x 7" W x 5.3" H	5 lbs.
<b>Replacement Parts</b>		
22-208	Amber Lens, Right side, for 211906 & 415010	1 lbs.
22-209	Amber Lens, Left side, for 211906 & 415010	1 lbs.
22-111	Replacement Bulb for 22-211906	
22-211	Amber Lens, for 450112 & 450142	1 lbs.

22-003



Aerodynamic 23" polycarbonate dome and diamond mirror in the center for enhanced light output. Heavy-duty powder painted steel base for durability. Available permanent mount and magnetic mount with four 75lb. pull magnets, a 15' straight cord with lighter plug with built-in on/off switch.

22-625



Product Number	Description	Unit Weight
22-003	Amber, 12-24V, Dual Rotating 55-watt Halogen Lamp	2 lbs.
22-005	Amber, 12-24V, Dual Rotating 55-watt Halogen Lamp, Magnetic mount	2.4 lbs.
22-625	Amber, 12-24V, Alternating Quad Flash Strobes	1.5 lbs.
22-626	Amber, 12-24V, Alternating Quad Flash Strobes, Magnetic mount	1.5 lbs.
<b>Replacement Parts</b>		
22-223	Amber Lens, 23" bars	0.5 lbs



22-321112

Directional Light System signals use 27-watt halogen bulbs with special lenses to direct light effectively. Sturdy aluminum extrusion, impac-resistant polycarbonate lenses. Provides a variety of sequentially flashing patterns. Available with full-featured control or integrated L-bracket control. Eight lamp system.

Product Number	Description	Unit Weight
22-321112	Directional Light System with integrated L-Bracket control	10 lbs.
22-322112	Directional Light System with full-feature control	10 lbs.
22-331102	Control for 22-322112 - FS	2 lbs.
<b>Replacement Parts</b>		
22-107	Bulb	
22-212	Amber Lens	

# arrow light boards

## MiniArrow



Compact size for small mounting areas. High-impact, high-density polyethylene housing. 20-1/2"H x 24"W x 1-3/4"D. All solid state electronics enclosed in weather resistant control box. Control box features easily marked, easy to operate switches. 10 amber sealed beams lamps per unit, front mounted for easy replacement. Multiple mounting holes provide custom-made installation.



Product Number	Description
22-316	Control Box, Solid State Electronics
22-317	Mounting Kit, Gutter type / Arrow boards
22-320	MiniArrow Board, 10 amber lamps with control box



*Left Flashing Arrow*



*Double Flashing Arrow*



*Right Flashing Arrow*



*Travel-Flashing Arrows*

## MaxiArrow



High-impact, high density polystyrene housing. 14 Amber sealed beam lamps, front mounted for easy replacement. 30-1/2"H x 60"W x 3"D. All Solid State Electronics enclosed in an easy-to-operate control box. 15' Signal cable and 9' Power cables for positioning flexibility. Cables attached using polarized connectors.



Product Number	Description
22-319	MaxiArrow Board, 14 amber lamps with control box
22-318	Control Box, Solid State Electronics

# back-up alarms



21-0230

Cortina offers a complete line of alarms in various sound level outputs and operating voltages to meet your alarm audibility requirements for a broad range of equipment and work environment noise levels. The back-up alarm selected should have sound level that is audible above the surrounding noise level.

·Meets OSHA, Bureau of Mines, and state regulations. Decibal ratings are +/- @ 4' as specified in SAE J994. Solid state electronics sealed in urethane. Steam cleanable. Voltage spike protected. Temperature range of -40F + 170F

21-0050



Product Number	Description	Unit Weight
21-0050	Tail-Gator 97 db, 12V systems, 4.50"W x 4.50"H x 1.25"D	12 oz.
21-0230	97 db, 12V systems, 4.02"W x 2.67"H x 1.6"D	10 oz.
21-0240	97 db, 12-24V systems, 4.02"W x 2.67"H x 1.6"D	10 oz.
21-0248	97 db, 12-24V systems, 4.02"W x 2.67"H x 1.6"D UL recognized for electric vehicles and forklifts	10 oz.

21-1020



Compact, self-adjusting alarm. Ideal for low sound. Adjusts to a minimum of 5 decibals above the surrounding noise. Rugged and reliable solid state electronics.

Product Number	Description	Unit Weight
21-1020	77-102 db, 12-24V system, 4.02"W x 2.67"H x 1.6"D, UL recognized for electric vehicles and forklifts	10 oz.

21-0297



21-3107



High-impact nylon housing. Digital circuitry. Moisture, vibration, & shock resistant. Reverse polarity protection. Operating temperature range: -49C to +85C.

Product Number	Description	Unit Weight
21-0297	Back-up Alarm 97db, 12/24 Volt	12 oz.
21-2102	Back-up Alarm 102db, 12/24 Volt	12 oz.
21-3107	Back-up Alarm 107db, 12/24 Volt	12 oz.
21-3112	Back-up Alarm 112db, 12/24 Volt	12 oz.



# back-up alarms

Self-adjusting alarm automatically adjusts to 10 db above the surrounding noise, thus reducing irritation for operators and worker. Universal mounting #8-32 unc terminal studs.

Product Number	Description	Unit Weight
21-1040	87-112 db, 12-24V systems, 5.0"W x 3.06"H x 3.78"D	1lb. 8 oz.



Water resistant with a 5 amp rating and a full 360 movement. Can be wired "normally open" or "normally closed". C.S.A. approval. UL recognized. Adjustable mounting brakcet included.

Product Number	Description	Unit Weight
21-0043	Back-up Alarm Switch	10 oz.



Flush-mount alarms fir into any 40 series round hole and require no tools for installation. Utilizes industry-standard grommets and pigtails. These alarms are well-suited for applications requiring a compact profile. 12 oz.

Product Number	Description	Unit Weight
21-4028	77-97db, self-adjusting, 12-48V systems 4.32"D x .87"D	13 oz.
21-4028K	77-97db, self-adjusting, 12-48V systems 4.32"D x .87"D with pigtail & grommet	13 oz.
21-4030	97db, 12V systems, SAE J994 type C	13 oz.
21-4030K	97db, 12V systems, SAE J994 type C with pigtail & grommet	13 oz.
21-4050	102db, 12-24V systems, SAE J994	12 oz.
21-4050K	102db, 12-24V systems, SAE J994 with pigtail & grommet	13 oz.



# trailer/work lights



## Work Light



Flood light pattern -90 degree vertical adjustment. 12' cord with cigarettelighter plug. 12 VDC operation standard. Can be converted to 24 VDC using 24V H-3 bulb. Easy to replace 55-watt Halogen H-3 bulb.

Product Number	Description	Unit Weight
23-3362	Work Light, Mag base, Plastic 12V, 12' cord	2.5 lbs.
23-0015	15' Adaptor Cord with battery clips	
23-0025	25' extension cord	



## 4 in 1 Worklight



Ideal for workshop, garages, or home use. Worklight comes with 18' cord with polarized plug, powerful magnetic base, spring clamp base, reflector head, and guard head. UL & CSA listed for 60-watt bulbs.



Product Number	Description	Unit Weight
23-1118	4 - in - 1 Worklight	1.5 lbs.

## Highway Safety Flashers



Lightweight, 12 volt flashers fit any standard vehicle plug. Non-scratch magnetic base attaches to vehicles surface. Exceedes D.O.T. Standards. 50' cord length. Ideal for farm, emergency, slow-moving, and heavy equipment vehicles.



Product Number	Description	Unit Weight
23-1250	Highway Safety Flasher, Red/Amber Lens	1.5 lbs.
23-1251	Highway Safety Flasher, Amber/Amber Lens	1.5 lbs.

## Light-Duty Hazard Flashers



Ideal for tractors, trucks, cars, boats, and RV's. Self-contained unit sits upright or attaches to any metal surface. Its attention getting flasher brings added safety to slower moving vehicles. 20lb. magnetic base, one mile visibility, battery operated. (Requires 4 AA batteries)




Product Number	Description	Unit Weight
23-100	Hazard Flasher, Red/Amber Lens	2 lbs.
23-101	Hazard Flasher, Amber/Amber Lens	2 lbs.

# lightsticks/safety baton

## Snaplight & Cyalume

In an instant, lightsticks provide intense, dependable light. Bend-snap-shake for instant light. Dependable lighting with no heat, no flame, no sparks. Lightstick is lightweight, waterproof, windproof, and non-toxic. One-half mile visibility. Ideal for highway traffic safety, dense smoke, fire and rescue, tunnels, rail tracks, confined spaces, marine safety, and personnel marker lights. Lightsticks last from 30 minutes to 12 hours depending on size and type. Shelf life 2-4 years.



Product Number	Description	Unit Weight
03-229-3550G	12 hr. duration, 6" Green	0.05 lbs.
03-229-3550O	12 hr. duration, 6" Orange	0.05 lbs.
03-229-3550R	12 hr. duration, 6" Red	0.05 lbs.
03-229-3550Y	12 hr. duration, 6" Yellow	0.05 lbs.
03-229-3551R	30 min. duration, 6" Red	0.05 lbs.
03-229-3551W	30 min. duration, 6" White	0.05 lbs.
03-229-3551Y	30 min. duration, 6" Yellow	0.05 lbs.
03-229-3554B	8 hr. duration, 6" Blue	0.05 lbs.
03-229-3554W	8 hr. duration, 6" White	0.05 lbs.
03-229-3556R	3 hr. duration, 6" Infra-Red*	0.05 lbs.
03-229-3558G	12 hr. duration, 15" Green	0.05 lbs.
03-229-3558R	12 hr. duration, 15" Red	0.05 lbs.
03-229-3558Y	12 hr. duration, 15" Yellow	0.05 lbs.
03-229-3562G	2 hr. duration, 10" w/Bipod, Green	0.05 lbs.
03-229-3562R	2 hr. duration, 10" w/Bipod, Red	0.05 lbs.
03-229-3562Y	2 hr. duration, 10" w/Bipod, Yellow	0.05 lbs.
03-229-3564G	6 hr. duration, 4" Green	0.05 lbs.
03-229-3564O	6 hr. duration, 4" Orange	0.05 lbs.
03-229-3596	Gravity Feeder Display holds 120 6" lightsticks	10.5 lbs.
03-229-3597	All Purpose Cone Adaptor-holds flag, signs, or barricade tape	1 lbs.
03-229-3598	Traffic Control Handle-holds 6" lightsticks w/wrist attachment	0.15 lbs.
03-229-3599	Magnetic Base, holds 6", 10", and 15" lightsticks	0.20 lbs.

\*Non-visible to the naked eye. Can be seen through a variety of image intensified night vision devices



03-229-3596



## Electronic Safety Baton

Pulsating high intensity LED Lights. Water and impact resistant construction

Product Number	Description	Unit Weight
03-300	Electronic Safety Baton 12" C-Cell	0.35 lbs.
03-301	LED Baton 9" C-Cell with belt clip	0.25 lbs.
03-303	LED Baton 12" D-Cell with belt clip	0.35 lbs.




# LED safety kits

## LED Warning Lights



Each light contains 18 bright LEDs and are easily visible from 2500 feet or more. Switch provides two modes-steady and flashing. Available in red, amber, blue, and clear to fit appropriate application. Four AA batteries last at least 16 hours in flashing mode. Built-in magnetic back for mounting on any steel surface.



Product Number	Description
22-224	LED Light, Amber
22-225	LED Light, Blue
22-226	LED Light, Clear
22-227	LED Light, Red



Kit includes 3 Reflective Warning Triangles, 3 light-mounting clips, and 3 LED Warning Lights (2 red, 1 amber). All items come packed in a compact, durable, black carrying bag.

Product Number	Description
95-06-04	Triangle Safety Kit with LED Warning Lights



Kit includes 1 Reflective Warning Triangle, 1 light-mounting clip, and 2 LED Warning Lights (1 red, 1 amber). All items come packed in a compact, durable, black carrying bag.

Product Number	Description
95-06-05	Single Triangle Kit with LED Warning Lights



Mini-Kit includes 2 LED Warning Lights (1 red, 1 amber), 2 light-mounting clips, and carrying case. Ideal for for school busses, and local trucks.

Product Number	Description
95-06-06	Multi-Purpose LED Warning Light Kit



# LED safety kits

**NEW**

## Traffic Cone LED Warning Light Kits

Kit includes 6 LED lights (available in red or amber), 6 cone clips, and heavy-duty carrying case. Ideal for highway departments, construction companies, and fire departments

Product Number	Description
95-06-07	Traffic Cone, LED Warning Light Kit, Amber
95-06-08	Traffic Cone, LED Warning Light Kit, Red



**NEW**

## Rescue/Air Landing LED Light Kit

Kit includes 4 LED Lights with weight plates and a carrying case. Ideal for ambulance, fire, rescue & police departments.

Product Number	Description
95-06-09	Rescue/Air Landing LED Light Kit



**NEW**

## Sun Visor Mounting Strap

Provides mount for attaching lights to sun visor for unmarked emergency vehicles. (LEDs not included)

Product Number	Description
22-228	Sun Visor Mounting Strap for LED Lights



# first-aid kits

Compartmental organizers contain all your first aid needs including: hot/cold reusable compress, AMA first aid guide, large selection of dressing, medications, antiseptics, bandages, and instruments.



Product Number	Description
04-115	72-piece All Purpose First Aid Kit
04-116	106-piece All Purpose First Aid Kit
04-117	144-piece All Purpose First Aid Kit
04-121	94-piece Auto First Aid Kit

Small box First Aid Kit with variety of products to treat minor first aid needs. Perfect for the home, office, auto, or backpack



Product Number	Description
04-113	34-piece All Purpose First Aid Kit
04-114	52-piece All Purpose First Aid Kit
04-120	38-piece Auto First Aid Kit

Large Kit contains adhesive bandages, finger/knuckle bandages, triangle sling and pins, dressing pads, gauze rolls, trauma pad, eye pad, anti-septic wipes, ointment, insect sting relief pads, eye wash, cold compresses, tape, aspirin, scissors, tweezers, exam gloves, first aid guide.



Product Number	Description
04-132	106-piece OSHA First Aid Bulk Kit-Plastic Case 9"x8-3/8"x21"
04-133	106-piece Convenient Refill

Large Soft Kit perfect for home, auto, hiking, camping, and marine use. Features medication, antiseptics, bandages, wound care, and items for injury treatment including a cold compress and butterfly bandages.



Product Number	Description
04-118	80-piece All Purpose Soft pack, First Aid Kit
04-119	106-piece All Purpose Soft pack, First Aid Kit
04-122	81-piece Outdoor First Aid Kit

Large kit contains fabric bandages, gauze roll bandage, dressing pads, sterile eye pads, antiseptic cleansing wipes, antibiotic ointment, eye wash, rescue breather, cold compress, tape roll, scissors, exam gloves, AMA first aid guide book



Product Number	Description
04-124	85-piece Truckers Kit-Metal Case: 6-5/16" x 9-1/16" x 2-3/8"
04-125	85-piece Truckers Kit-Plastic Case: 6-5/16" x 9-1/16" x 2-3/8"
Product Number	Description
04-136	Eye Wash Station-Single oz.
04-137	Eye Wash Refil-32 oz.

# first-aid kits



Welders Kit contains adhesive bandages, knuckle/fingertip bandages, triangle sling bandage, non-stick pads, eye pads, finger splints, cleansing wipes, gauze rolls, ointment, burn packs, eye wash, eye drops, cold compresses, Ibuprofen tablets, tape, scissors, tweezers, first aid book

Product Number	Description
04-135	113-piece Welders Kit-Metal Case: 9-1/16" x 6-5/16" x 2-3/8"



Large Kit contains adhesive bandages, large fabric bandages, elbow/knee bandages, safety pins, roll bandages, gauze dressings, alcohol cleansing pads, antiseptic wipes, ointment, iodine wipes, burn relief patch, eye pads, eye wash, cold compresses, aspirin, scissors, tweezers, exam gloves, AMA first aid book

Product Number	Description
04-131	195-piece OSHA First Aid Kit-Metal Case: 9-1/16" x 9-1/16" x 2-3/8"



Large Kit conents meet the 1995 National Minimum Standard for the school bus industry. Dust and moisture resistant metal case. Contains plastic strips, adhesive tape, compresses, eye pads, gauze rolls, gloves, scissors, triangle bandage and pins.

Product Number	Description
04-129	157-piece School Bus Kit-Metal Case: 9" x 9" x 2-1/2"



Burn Kit contains bandage wrap, gauze roll bandage, tape, Water-Jel burn dressings, exam gloves, scissors

Product Number	Description
04-134	11-piece Burn Kit-Plastic Case: 7-1/16" x 4-9/16" x 2-3/8"



All units are shrink-wrapped and auto-bagged for water resistance. Zip lock bags. Contains ammonia inhalant, aspirin, compresses, burn cream, eye wash and dressing, gauze, iodine wipes, tourniquet, triangle bandages, pins, wire splint, bandages.

Product Number	Description
04-130	115-piece Lifeboat Kit-Plastic Case: 9" x 9" x 2-1/2"

Mini First Aid Kit suitable for a purse, briefcase, or backpack. Contains bandages, antiseptics, medication, and first aid guide.

Product Number	Description
04-112	33-piece All Purpose First Aid Kit

Large Kit for your basic home shop needs. Contains eye and ear protection, dust masks, first aid supplies and wound care item. Compartmental organizers keep your supplies neatly organized and easy to find. Wall mountable

Product Number	Description
04-123	49-piece Home Shop Safety Kit





# special events

## crowd control



### Colored A-Frame Barrier Systems



To mark parade routes, parking restrictions, and other special circumstances. The bright, unique, colored A-Frames and I-Beams offer superior day/night recognition. Also ideal to color code parking. Lots of use to school teams or corporate colors. Also ideal for amusement parks.

Logos available upon request. Call for quote.

**Request color when ordering I-Beam.**



Product Number	Description	Unit Weight
97-01-004B	A-Frame, 1 hole, Blue	9 lbs.
97-01-004G	A-Frame, 1 hole, Green	9 lbs.
97-01-004O	A-Frame, 1 hole, Orange	9 lbs.
97-01-004R	A-Frame, 1 hole, Red	9 lbs.
97-01-004Y	A-Frame, 1 hole, Yellow	9 lbs.
97-01-004-02B	A-Frame, 2 holes, Blue	9 lbs.
97-01-004-02G	A-Frame, 2 holes, Green	9 lbs.
97-01-004-02O	A-Frame, 2 holes, Orange	9 lbs.
97-01-004-02R	A-Frame, 2 holes, Red	9 lbs.
97-01-004-02Y	A-Frame, 2 holes, Yellow	9 lbs.

Product Number	Description	Unit Weight
97-2004-1	4' Colored I-Beam, 1 sided. Prismatic fluorescent sheeting	6 lbs.
97-2006-1	6' Colored I-Beam, 1 sided. Prismatic fluorescent sheeting	9 lbs.
97-2008-1	8' Colored I-Beam, 1 sided. Prismatic fluorescent sheeting	12 lbs.
97-2010-1	10' Colored I-Beam, 1 sided. Prismatic fluorescent sheeting	16 lbs.
97-2012-1	12' Colored I-Beam, 1 sided. Prismatic fluorescent sheeting	18 lbs.
97-2004-2	4' Colored I-Beam, 2 sided. Prismatic fluorescent sheeting	6 lbs.
97-2006-2	6' Colored I-Beam, 2 sided. Prismatic fluorescent sheeting	9 lbs.
97-2008-2	8' Colored I-Beam, 2 sided. Prismatic fluorescent sheeting	12 lbs.
97-2010-2	10' Colored I-Beam, 2 sided. Prismatic fluorescent sheeting	16 lbs.
97-2012-2	12' Colored I-Beam, 2 sided. Prismatic fluorescent sheeting	18 lbs.



# special events

## crowd control

### Pennants

9" x 12" on a 100' or 60' string. Tensile strength - 107lbs. Available in orange, yellow, red, alternating red/white, orange/white, or multi-colored. Standard pack of 25 each.

Product Number	Description	Unit Weight	Std. Pack
03-400	Red 100'	0.5 lbs.	25
03-400-60	Red 60'	0.5 lbs.	25
03-401	Red/White 100'	0.5 lbs.	25
03-401-60	Red/White 60'	0.5 lbs.	25
03-402	Orange 100'	0.5 lbs.	25
03-402-60	Orange 60'	0.5 lbs.	25
03-403	Multi-Color 100'	0.5 lbs.	25
03-403-60	Multi-Color 60'	0.5 lbs.	25
03-404	Orange/White 100'	0.5 lbs.	25
03-404-60	Orange/White 60'	0.5 lbs.	25
03-405	Yellow 100'	0.5 lbs.	25
03-405-60	Yellow 60'	0.5 lbs.	25




### Sport Cones

Made from lightweight, durable injection molded polyethylene. 18" height with a 12"x12" base. Ideal for amusement parks, schools, sporting events, parking lots, and temporary traffic control. Special colors and stenciling available (minimums required)

Product Number	Description	Unit Weight
03-500-34	Sport Cone 5" Orange	0.25 lbs.
03-500-35	Sport Cone 18" Orange	1.80 lbs.
03-500-36	Sport Cone 18" Red	1.80 lbs.
03-500-37	Sport Cone 18" White	1.80 lbs.
03-500-38	Sport Cone 18" Yellow	1.80 lbs.
03-500-39	Sport Cone 18" Blue	1.80 lbs.
03-500-40	Sport Cone 18" Green	1.80 lbs.
03-500-41	Sport Cone 18" Fluorescent Lime	1.80 lbs.
03-500-42	Sport Cone 18" Fluorescent Orange	1.80 lbs.



# tape



## Safety-Step Anti-Skid Tape


Long lasting, adhesive backed tape designed especially for application in high traffic areas where slippery or dangerous surfaces may cause accidents. A rugged aluminum oxide grit surface is bonded to the tape and is impervious to water, grease, oil, detergents, and solvents.

**EASY TO APPLY...**In no more time than it takes for an accident to happen, just peel off the backing and press in place. Adheres instantly to most clean, dry, oil-free surfaces

Product Number	Description	Unit Weight
03-12-02B	Anti-Skid Tape, Ind. Grade 2"x30yds. Black	4 lbs.
03-12-02W	Anti-Skid Tape, Ind. Grade 2"x30yds. White	4 lbs.
03-12-02Y	Anti-Skid Tape, Ind. Grade 2"x30yds. Yellow	4 lbs.
03-12-04B	Anti-Skid Tape, Ind. Grade 4"x30yds. Black	6 lbs.
03-12-04W	Anti-Skid Tape, Ind. Grade 4"x30yds. White	6 lbs.
03-12-04Y	Anti-Skid Tape, Ind. Grade 4"x30yds. Yellow	6 lbs.
03-12-06B	Anti-Skid Tape, Ind. Grade 6"x30yds. Black	8 lbs.
03-12-06W	Anti-Skid Tape, Ind. Grade 6"x30yds. White	8 lbs.
03-12-06Y	Anti-Skid Tape, Ind. Grade 6"x30yds. Yellow	8 lbs.

## Pavement Tape

Temporary Pavement Tape available in engineer or construction grades. Provides day and night time motorist guidance. Works on asphalt or concrete. Easy to install. Can be removed or just paved over.



Product Number	Description	Unit Weight
03-10-103	Temp. Pavement Tape, White 4" x 50 yd. Egr	4 lbs.
03-10-104	Temp. Pavement Tape, Yellow 4" x 50 yd. Egr	4 lbs.
03-10-105	Pavement Tape Primer 1 gallon	
03-10-106	Temp. Pavement Tape, White 4" x 100 yd. Cgr	4 lbs.
03-10-106-50	Temp. Pavement Tape, White 4" x 50yd. Cgr.	4 lbs.
03-10-107	Temp. Pavement Tape, Yellow 4" x 100 yd. Cgr	4 lbs.
03-10-107-50	Temp. Pavement Tape, Yellow 4" x 50yd. Cgr.	4 lbs.
03-10-109	Temp. Pavement Tape, White 6" x 50 yd. Cgr.	6 lbs.
03-10-111	Temp. Pavement Tape, White 6" x 50 yd. Egr.	6 lbs.
03-10-113	Temp. Pavement Tape, Yellow 6" x 50yd. Cgr.	6 lbs.
03-10-115	Temp. Pavement Tape, Yellow 6" x 50yd. Egr.	6 lbs.

<b>B</b>	
Back-Up Alarms	52, 53
Banners - Wideload / Oversize Load	41
Barricade Weight Cartridge	12, 13
Barricades - Lights	22
Barricades - A-Frames	18
Barricades - A-Frames-Colored	60
Barricades - Expand-A-Panel	18
Barricades - I-Beams	19
Barricades - M-Cades	14, 15
Barricades - N-Cades	20
Barricades - PLASTX	12, 13
Barricades - Replacement Panels	23
Barricades - Sign Legends	21
Barricades - SteelCade	16, 17
Barricades - Type III	19
Barricades - Vertical Panel	20
Barricades I-Beams-Colored	60
Brackets (Triangle Kits)	5
<b>C</b>	
Cone Holders	26, 27
Cone Weights	27
Cones - Collared Cones	26, 27
Cones - Colored Cones	28, 29
Cones - Solid Cones	26, 27
Cones - Sport Cones	28, 29, 61
<b>D</b>	
Delineator Posts	24, 25
Directional Light System	51
Distress Alert Triangles	11
Driver's Choice Safety Kit	9
Driver's Safety Kit	9
Driveway Markers	42
<b>F</b>	
Fencing	38
Fire Extinguishers	7
First Aid Kits	58, 59
Fleet Safety Kits (Metal Case)	6, 7
Fleet Safety Kits (Plastic Case)	8, 9
Four-In-One Worklight	54
Fusee Holders	10
Fusee Kits	10
<b>H</b>	
Heavy-Duty Canvass Bag Kit	9

<b>L</b>	
Lamps - Rotating	49
Lamps - Tear-Drop	49
LED Safety Kits	56, 57
Life Hammer	39
Lightbars	50
Lightbars - MaxiArrow	51
Lightbars - MiniArrow	51
Lightsticks	55
<b>M</b>	
Mud Flaps	44
<b>P</b>	
Paddles - Accessories	36, 37
Paddles - Handles	36, 37
Paddles - Stop/Slow/Go	36, 37
Parking Blocks	45
Pennants	61
<b>R</b>	
Reflectors	42
<b>S</b>	
Safety Batons	55
Slow Moving Vehicle Signs	41
Speed Bumps	45
Strobes	48
<b>T</b>	
Tape - Anti-Skid	62
Tape - Caution Tape	38
Tape - Conspicuity Tape	43
Tape - Flagging	39
Tape - Pavement	62
Trailer Lights	54
Triangle Warning Kits	4, 5
<b>V</b>	
Vests - All Purpose	34, 35
Vests - ANSI Class	30, 31
Vests - Five Point Tear Away	34, 35
Vests - Surveyors	32, 33
Vests - Tight Mesh	34, 35
<b>W</b>	
Warning Flags	40
Wheel Chocks	44
Work Lamps	46, 47

# Cortina

Safety Products Group



## **Cortina Safety Products Group**

10706 West Grand Avenue  
Franklin Park, IL 60131  
Phone: 800-225-5206  
847-455-2800  
Fax: 847-451-7247

## **Manufacturing & Engineering**

10706 West Grand Avenue  
Franklin Park, IL 60131

## **Sales & Distribution**

### **United States**

10740 West Grand Avenue  
Franklin Park, IL 60131

### **Canada**

## **Circle Cortina Industries Canada Limited**

360 Elgin Street  
Brantford, Ontario  
Canada, N3S 7P6  
Phone: 519-756-1900  
Fax: 519-756-1998

© Copyright 2003 Cortina Safety Products Group. Product photos, styles, contents, or offerings subject to change without notice. Printed in USA. Cat# CSP 103. Designed by John Giannelli, images and contents available on CD-ROM by e-mailing johng@cortinaco.com

[www.cortinaco.com](http://www.cortinaco.com)






# CORTINA

Safety Products Group

A *Cortina* Company



## Products that make the work zone safer...

Since 1969 our commitment has been to provide the highest quality items in the market. From manufacturing to distribution, we're committed to being your single work zone safety and heavy-duty parts supplier. Call us today!!!

### How to reach US

10706 West Grand Avenue  
Franklin Park, IL 60131

---

by phone: 800-225-5206

---

by fax: 847-451-7247

---

on the web: [www.cortinaco.com](http://www.cortinaco.com)

---

by e-mail: [sales@cortinaco.com](mailto:sales@cortinaco.com)



The *Cortina* Companies



warning triangles 4

barricades 14

delineators 24

traffic cones 26

safety vests 30

paddles 36

fencing/tape 38

warning flags 40

banners/signs 41

reflective products 42

flaps/chocks/bumps 44

lamps/lighting 46

back-up alarms 52

trailer lights 54

batons/lightsticks 55

LED kits 56

first aid kits 58


special events 60

pavement tape 62

look for the following symbols throughout the catalog



indicates exclusive feature available only from Cortina



indicates new products available from Cortina



indicates products that can be custom imprinted for your company.